

INDEX.

[Synonyms and native names are printed in *italics*. A star is added to names which appear to be used here for the first time.]

- Acamarchis Bertholletis*, Savigny, 283.
Acanthothrips, *Haliday*, mentioned, 380.
 lacertina, *Haliday*, mentioned, 380.
 spectrum, *Haliday*, mentioned, 380.
Acari, Unrecorded, from New Zealand, by
 A. D. Michael, 135-149.
Achelata, 230.
Achelia, Hodge, 224.
 echinata, Hodge, 224.
 echinata, Grube, 224.
 hispida, Hodge, 225.
 levis, Hodge, 225.
 scabra, Wilson, 224.
 spmosa, Wilson, 224.
Acrodactylus, *Haliday*, mentioned, 267.
Aerosoma, *Perty*, mentioned, 260.
Actinacanthus, *Stebbing*, mentioned, 191.
Actinothrips,* *Bagnall*, 332.
 longicornis,* *Bagnall*, 333; mentioned,
 335.
Adelges, Vall., mentioned, 8.
Adeonella, *Busk*, mentioned, 128.
 distoma, *Busk*, 296.
Adeonellopsis, *Macgillivray*, mentioned, 296.
 coscinophora, *Reuss*, 296.
Ænigmatias, *Meinert*, mentioned, 153.
 blattoides, *Meinert*, mentioned, 151,
 152, 153, 154.
 Schwarzii, *Coquillett*, mentioned, 152,
 153.
Ænigmatistes,* *R. Shelford*, 150.
 africanus,* *R. Shelford*, 151.
Ætea anguina, *Linn.*, 283; mentioned, 284.
 recta, *Hincks*, 283.
Ætea sica, *Couch*, 283.
 truncata, *Landsborough*, 283.
Aglaiia, *G. S. Brady*, 426; mentioned 390,
 391.
 clavata, *G. S. Brady*, 426.
 meridionalis, *G. S. Brady*, 426.
 obtusata, *G. S. Brady*, 426.
Agorius, *Thorell*, mentioned, 264.
Alcinous, *O. G. Costa*, 224.
 vulgaris, *O. G. Costa*, 224.
Alcynous megacephalus, *O. G. Costa*, men-
 tioned, 234.
Alcyonaria, Some New, from the Indian
 and Pacific Oceans, by Ruth M. Harrison,
 185-190.
Aleyonarian, mentioned, 389.
Alcyonidium effusum,* *Norman*, 282; men-
 tioned, 312.
Alecto simplex, *J. Y. Johnson*, 278.
Alysidium, *Busk*, 295; mentioned, 294.
 Lafontii, *Busk*, 295.
 parasiticum, *Busk*, mentioned, 295.
Amber-deposits, mentioned, 336.
Amblychila, *Say*, mentioned, 169, 181.
Ammodiscus, *Reuss*, 401.
 gordialis, *Jones & Parker*, mentioned,
 391.
 tenuis, *Brady*, 401.
Ammothea, *Leach*, 224; mentioned, 234.
 acheloides, *Wilson*, 224.
 appendiculata, *Dohrn*, 226.
 biunguiculata, *Dohrn*, 226.
 borealis, *Schinkewitsch*, 225.
 brevipes, *Hodge*, 224.

- Ammothea echinata*, *Hodge*, 224.
echinata, *Hoek*, 224.
echinata, *Meisenheimer*, 224.
echinata, *G. O. Sars*, 224.
fibulifera, *Dohrn*, 224.
franciscana, *A. Dohrn*, 224.
hispidata, *Hodge*, 225.
lævis, *Hodge*, 225.
lævis, *G. O. Sars*, 225.
Langi, *Dohrn*, 225; mentioned, 234.
longipes, *Grube*, 225.
longipes, *Hodge*, 225.
magnirostris, *Dohrn*, 225.
pycnogonoides, *Quatrefages*, 224.
scabra, *Wilson*, 224.
uniunguiculata, *Dohrn*, 226.
vulgaris, *O. G. Costa*, 224.
- Amotheidæ, 224.
- Amœba limax*, *Dujardin*, mentioned, 361.
proteus (*Pallas*), *Leidy*, mentioned, 361.
striata, *Penard*, mentioned, 361.
verrucosa, *Ehrenb.*, mentioned, 361.
vespertilio, *Penard*, 363; mentioned, 361, 368.
- Amœbina, 361.
- Amorphophallus*, *Blume*, an Aroid with offensive odour of the genus, mentioned, 152.
- Amphipoda, Northern, On two new species of, by *Rev. T. R. R. Stebbing*, 191-197.
- Amphistegina*, *Orb.*, 425; mentioned, 391, 392, 393.
Lessonii, *Orb.*, 425; mentioned, 392, 393, 394, 441.
- Amycinea forticeps*, *O. P. Cambr.*, 270; mentioned, 262, 263.
lineatipes, mentioned, 263.
- Anactinotrips*,* *Bagnall*, 329.
Meinerti,* *Bagnall*, 330; mentioned, 335.
- Anaphe*, *Say*, 202.
angulata, *Dohrn*, 203.
lenta, *E. B. Wilson*, 204; mentioned, 204.
oculata, *G. H. Carpenter*, 204.
pallida, *Say*, 204.
petiolata, *Kröyer*, 202; mentioned, 204.
robusta, *Dohrn*, 203.
typhlops, *G. O. Sars*, 203.
virescens, *Hodge*, 203.
- Anaphia angulata*, *Dohrn*, 238.
lenta, *Wilson*, mentioned, 234, 238.
pallida, *Say*, mentioned, 234.
- Anaphia typhlops*, *G. O. Sars*, mentioned, 199, 206.
virescens, *Hodge*, mentioned, 234.
- Anarthropera*, *Smitt*, 132.
borealis, *Smitt*, 298.
horrida, *Kirkp.*, mentioned, 132.
(Lagenipora) tuberculata, *MacG.*, mentioned, 132.
- Angel-fish, mentioned, 90-93.
- Anisopygia jucunda*, *Sauss.*, mentioned, 346.
- Annandale*, *N.*, Notes on some Freshwater Sponges collected in Scotland, 244-250.
- Anochetus*, *Mayr*, mentioned, 261.
emarginatus, *Mayr*, mentioned, 263.
- Anomalina*, *Parker & Jones*, 421.
ammonoides, *Reuss*, 421; mentioned, 394.
grosserugosa, *Gümbel*, 421; mentioned, 394, 441.
polymorpha, *Costa*, 421; mentioned, 441.
- Anomorhynchus Smithii*, *Miers*, 228.
- Anoplodactylus*, *Wilson*, 202.
lentus, *Wilson*, 204.
oculatus, *Carpenter*, 204.
petiolatus, *Norman*, 202.
petiolatus, *Sars*, 202.
typhlops, *Carpenter*, 203.
typhlops, *Sars*, 203.
- Ant-eaters, mentioned, 265.
- Ant, red spinning, mimicked by Spiders, mentioned, 266.
- Ant-mimicry in Spiders, Explanation of (*Pocock*), 264-268.
- Ants and Mutillas, Mimicry by Spiders (*Pocock*), 258.
- Anthophora*, *Fabr.*, mentioned, 268.
- Anthreni*, ravages of, mentioned, 338.
- Anthrenus museorum* (*Linnaeus*), A Contribution to the Physiology of the Museum Beetle, by *Alfred J. Ewart*, 1-5.
- Antropora granulifera*, *Hincks*, 288.
granulifera, *Norm.*, 288.
- Aphantochilus*, *Cambr.*, mentioned, 262.
- Aphidæ, mentioned, 5.
- Apis maxillosa*, *Linnaeus*, mentioned, 272.
- Apochinomma*, *Pavesi*, mentioned, 262.
- Araneus*, *Linnaeus*, 270.
coccinella, *Pocock*, 270; mentioned, 257.
- Arca, *Linnaeus*, mentioned, 392.

- Arca pectunculoides*, mentioned, 276.
Arcella, *Ehrenb.*, mentioned, 361.
 discoides, *Ehrenb.*, mentioned, 361.
 vulgaris, *Ehrenb.*, 361.
Arcellina, *Du Pless*, 361.
Argilloëcia, *G. O. Sars*, 428; mentioned,
 389, 390, 391.
 affinis, *Chapman*, 428; mentioned, 441.
 cylindrica, *G. O. Sars*, 428.
 eburnea, *G. S. Brady*, 428.
 gracilior,* *Chapman*, 428; mentioned,
 390, 391, 439, 444.
Argyope cophinaria, mentioned, 266.
Argyopidæ, 257; mentioned, 260, 266.
Armadillidium nasatum, *Budde-Lund*, men-
 tioned, footnote 43.
 Aroid with offensive odour, wingless fly
 found on an, 152.
Articulina, *Orb.*, 22.
 funalis, *Brady*, 22, 34.
Ascopodaria, *Busk*, 277.
 gracilis, *M. Sars*, 277.
 (*Barentsia*) *major*, *Hincks*, mentioned,
 277.
Ascorhynchus, *G. O. Sars*, 227.
 abyssi, *G. O. Sars*, 227.
 tridens, *Meinert*, 227.
Assulina, *Ehrenb.*, mentioned, 360.
 seminulum, *Ehrenb.*, mentioned, 362.
Astrophizidæ, 24; mentioned, 390, 399.
Atemeles marginata, *Gravenh.*, mentioned,
 153.
Atta, *Fabr.*, mentioned, 261.
Attidæ, mentioned, 263.
Atylidæ, mentioned, 193.
Audifia, *Keyserling*, mentioned, 260.
Australian Museums, The Preservation of
 Specimens in, by J. G. Otto Tepper, 155.
Avicula tarentina, *Lamk.*, mentioned, 296.
Aviculariidae, warning characters of, men-
 tioned, 266, 270.

 Bagnall, Richard S., *On two New Genera*
 of Thysanoptera from Venezuela: Anac-
 tinotrips and Actinotrips, 329-335.
 — *A Contribution towards a Knowledge*
 of the Neotropical Thysanoptera, 369-
 387.
Bairdia, *M'Coy*, 429; mentioned, 389-392.
 bosquetiana, *G. S. Brady*, footnote 429.
 crosskeiana, *G. S. Brady*, 430.

Bairdia expansa, *G. S. Brady*, 430.
 faba, *Reuss*, 427.
 formosa, *G. S. Brady*, 430; mentioned,
 444.
 foveolata, *G. S. Brady*, 429.
 milne-edwardsi, *G. S. Brady*, 430.
 minima, *G. S. Brady*, 431.
 victrix, *G. S. Brady*, 430.
 woodwardiana, *G. S. Brady*, 430.
Barana, *A. Dohrn*, 227.
 arenicola, *A. Dohrn*, 227.
 castelli, *A. Dohrn*, 227.
Barentsia major, *Hincks*, mentioned, 277.
Beania hirtissima, *Heller*, 286.
Beetle, *A Contribution to the Physiology*
 of the Museum, Anthrenus museumum
 (Linn.), by Alfred J. Ewart, 1-5.
Beetles and Snails, Mimicry by Spiders
 257.
Bellardiella gracilis, *Montagu*, mentioned,
 307.
Bellota, *Peckham*, mentioned, 264.
Berenice annulata, *Lamouroux*, 299.
Bifarina, *Parker Jones*, 404.
 porrecta, *Brady*, 404.
Bigenerina nodosaria, *Orb.*, mentioned, 30.
Biloculina, *Orb.*, 13, 395; mentioned, 389.
 angusta,* *Chapman*, 15, 33.
 Bradii, *Schlumberger*, 13, 33.
 bulloides, *Orb.*, 13, 33.
 bulloides, *Brady*, 396.
 depressa, *Orb.*, 14, 33, 395; mentioned,
 389, 440.
 — var. *murrhyna*, *Schwager*, 395;
 mentioned, 389, 394, 440.
 — var. *serrata*, *Brady*, 396.
 elongata, *Orb.*, 15, 33.
 globulus, *Bornemann*, 15, 33.
 irregularis, *Orb.*, 15, 33.
 labiata, *Schlumberger*, mentioned, 15.
 lævis, *Defrance* sp., 14; mentioned, 15,
 33.
 lucernula, *Schwager*, 396; mentioned,
 17.
 — var. *striata*,* *Chapman*, 396;
 mentioned, 439, 444.
 lunula, *Orb.*, mentioned, 14.
 ringens, *Lamarck*, sp., 13, 33.
 ringens, *Brady*, 13.
 Sarsi, *Schlumberger*, 14, 33.
 sphæra, *Orb.*, mentioned, 16.

- Biloculina tubulosa*, *Costa*, 396; mentioned, 440.
- Biorrhiza aptera*, *Bosc*, mentioned, 274.
terminalis, *Mayr*, mentioned, 274.
- Blabera*, *Serv.*, mentioned, 337.
- Blatta*, *Linn.*, 339.
baltica, *Germ. & Ber.*, 339.
didyma, *Germ. & Ber.*, 348.
elliptica, *Giebel*, 348.
- Blattidæ, On a Collection of, preserved in Amber, from Russia, by R. Shelford, 336-355.
- Blattinæ, 351; mentioned, 350.
- Bocus*, *Peckham*, mentioned, 263.
- Bolivina*, *Orb.*, 31, 404.
kareriana, *Brady*, 404; mentioned, 440.
limbata, *Brady*, 32, 404; mentioned, 440.
lobata, *Brady*, 404; mentioned, 440.
nobilis, *Hantken*, 32, 405.
obsoleta, *Eley*, 404; mentioned, 440.
punctata, *Orb.*, 32, 404; mentioned, 440.
reticulata, *Brady*, 405; mentioned, 392, 440.
robusta, *Brady*, 32, 404; mentioned, 440.
textilarioides, *Reuss*, 31, 404; mentioned, 440.
- Boreonymphon*, *G. O. Sars*, 221.
robustum, *T. Bell*, 221; mentioned, 220.
robustum, *Norman*, 221.
robustum, *G. O. Sars*, 221.
- Brachycerous flies, mentioned, 359.
- Briareidæ, 189.
- Brown, Jas. M., Freshwater Rhizopods from the English Lake District, 360-368.
- Bugula*, *Oken*, 285.
avicularia, *Linn.*, 285.
dentata, *Lam.*, 285; mentioned, 312.
dentata, *Busk*, 285.
ditrupæ, *Busk*, 285.
ditrupæ, *Hincks*, 285.
ditrupæ, *Waters*, 285.
ditrupæ, var. *biseriata*, *Busk*, 285.
flabellata?, var. *biseriata* s. *ditrupæ*, *Busk*, 285.
gracilis, *Busk*, 286; mentioned, 312.
- Bugula neritina*, *Linn.*, 285.
plumosa, *Pallas*, 285.
- Bulimina*, *Orb.*, 31, 403.
buchiana, *Orb.*, 403; mentioned, 392, 394, 440.
contraria, *Reuss*, 403.
elegans, *Pfeiffer*, mentioned, 31.
elegantissima, *Orb.*, var. *apiculata*,* *Chapm.*, 31.
pupoides, *Orb.*, 403; mentioned, 395, 440.
rostrata, *Brady*, 403; mentioned, 392, 440.
subteres, *Brady*, 403; mentioned, 391.
- Bulimininæ*, 31.
- Burdon, E. R., Note on the Origin of the Name Chermes or Kermes, 5-9.
- Bythocere, read Bythocythere, 439.
- Bythocypris, *G. S. Brady*, 428.
bosquetiana, *G. S. Brady*, mentioned, 429.
elongata, *G. S. Brady*, 428.
heterodoxa,* *Chapman*, 429; mentioned, 390, 391, 439, 444.
reniformis, *G. S. Brady*, ftnote 429.
sollasi,* *Chapman*, 428; mentioned, 390, 439, 444.
- Bythocythere, *Sars*, 437; mentioned, 390, 391.
armata, *Chapman*, mentioned, 438.
retiolata,* *Chapman*, 437; mentioned, 390, 391, 439, 444.
tuberculata,* *Chapman*, 437; mentioned, 438, 439, 444.
- Caberea Boryi*, *Audouin*, 285.
- Calcarina*, *Orb.*, 424.
spengleri, *J. F. Gmelin*, 424.
- Calliostoma Montagu*, *Wood*, mentioned, 307.
- Callopora Dumerilei*, *Audouin*, 287.
lineata, *Linn.*, 287.
- Calpensia calpensis*, *Jullien*, 294.
impresa, *Moll*, 294.
- Camponotus fulvopilosus* (*Deg.*) *Mayr*, mentioned, 261.
opaciventris, *Mayr*, resembles spider, mentioned, 259.
- Candeina*, *Orb.*, 419; mentioned, 393.
nitida, *Orb.*, 419; mentioned, 390, 441.

- Carabodes, *Koch*, mentioned, 135.
Carbasa ligulata, *Busk*, 294.
Caria dilata, *Fabr.*, mentioned, 257.
Cassidulina, *Orb.*, 33, 405; mentioned, 391, 395.
 bradii, *Norm.*, 406; mentioned, 439, 440, 443.
 — var. *attenuata*,* *Chapman*, 406; mentioned, 440.
 calabra, *Seguenza*, 406; mentioned, 394, 440.
 crassa, *Orb.*, 405; mentioned, 440.
 lævigata, *Orb.*, 405; mentioned, 440.
 oblonga, *Reuss*, 405; mentioned, 440.
 parkeriana, *Brady*, mentioned, 392.
 subglobosa, *Brady*, 33, 405; mentioned, 394, 440, 443.
Cassidulininæ, 33.
Castaneira, read *Castianeira*, *tenuiformis*, 262; from Paraguay, mimics *Pachycondyla*, *Smith*, mentioned, 262.
Castianeira tenuiformis, mimics *Pachycondyla*, *Smith*, mentioned, 262.
Catenaria, *Orb.*, mentioned, 294, 295.
 diaphana, *Busk*, 296.
 Lafontii, *Audouin*, 295.
 Lafontii, *Busk*, 295.
 Lafontii, *Orb.*, 295.
Catenicella, *Blainv.*, mentioned, 294.
 Contei, *Audouin*, 295; mentioned, 314.
 elegans, *Busk*, 295.
 Savignyii, *Blainv.*, 295.
Caudina, *Stimps.*, 108.
 coriacea, *Hutton*, 108, 109; mentioned, 95, 101, 109.
 coriacea, *Dendy*, 108, 109.
 coriacea, *Ludwig*, 108.
 coriacea, *Théel*, 108.
 coriacea, var. *brevicauda*, *R. Perrier*, 109.
 meridionalis, *Bell*, 108.
 meridionalis, *Lampert*, 108.
 pulchella, *R. Perrier*, 109; mentioned, 95, 110.
 (*Echinósoma*?) *coriacea*, *Hutton*, 108.
Cellaria, *Lamouroux*, mentioned, 130, 293.
 cereoides, *Ellis & Sol.*, 129.
Cellepora, *Gmelin*, 310.
 ampullacea, *Busk*, 310.
 Cellepora angulosa, *Reuss*, 293.
 armata, *Hincks*, 310.
 decorata, *Reuss*, 297.
 dichotoma, *Hincks*, 310.
 edax, var. *ianthina*, *Smitt*, 311
 ianthia, *Waters*, 311.
 mamulosa, *Linn.*, 310.
 margaritacea, *Pourtales*, 311; mentioned, 314.
 margaritacea, *Smitt*, 311.
 margaritacea, *Waters*, 311.
 rotundora,* *Norman*, 311; mentioned, 314.
 rudis, *Busk*, mentioned, 310.
 sardonica, *Waters*, 310.
 sexspinosa, *Waters*, 311.
Cellularia, *Pallas*, mentioned, 293.
 fistulosa, *Linm.*, 292; mentioned, 293.
 Johnsoni, *Busk*, 293.
 nodosa,* *Norm.*, 293; growing on *Sertullarella*, mentioned, 293.
 opuntioides, *Pallas*, mentioned, 131.
 salicimaria, *Pallas*, mentioned, 293.
 sinuosa, *Hassall*, mentioned, 293.
Cenosphæra, *Ehrenb.*, mentioned, 389.
Centronotidæ, 244.
Centropyxis aculeata (*Ehrenb.*), *Stein*, mentioned, 360, 361.
 — var. *discoides*, *Penard*, mentioned, 361.
 — var. *ecornis* (*Ehrenb.*), *Leidy*, mentioned, 361.
 — var. *spinosa*, *Cash*, mentioned, 361.
 lævigata, *Penard*, mentioned, 361.
Ceratinoptera, *Brunn.*, mentioned, 336, 337.
 cruenta,* *R. Shelford*, 348; mentioned, 355.
 didyma, *Germ. & Ber.*, 348.
 klebsi,* *R. Shelford*, 349.
 soor,* *R. Shelford*, 348.
Ceratocheilinæ,* On the new Tipulid Subfamily, by *W. Wesché*, 355–360.
Ceratocheilus,* *Wesché*, 358; mentioned, 356, 359.
 longirostris,* *Wesché*, 359; mentioned, 360.
 Winn-Sampsoni,* *Wesché*, 358; mentioned, 359, 360.
Cerocida, *Simon*, mentioned, 260

- Cerodida, *read* Cerocida, *Simon*, mentioned, 260.
- Chætonymphon, *G. O. Sars*, 218.
hirtipes, *T. Bell*, 219.
hirtipes, *Hansen*, 219.
hirtipes, *Hoek*, 219.
hirtipes, *Wilson*, 219.
hirtum (*Fabr.* ?), (*Kröyer*), 218.
hirtum, *Hoek*, 218.
hirtum, *Norman*, 218.
hirtum, *Sars*, 218.
hirtum, *Wilson*, 219.
macronyx, *G. O. Sars*, 220; mentioned, 206, 221.
spinosissimum, *Norman*, 219.
spinosum, *Sars* (nec *Goodsir*), 219.
tenellum, *G. O. Sars*, 220.
- Chamæleon dilepis, *Leach*, mentioned, 45, 46, 47.
pumilus, *Daudin*, mentioned, 46, 47.
- Chamæleons, &c., A few Notes on South African, by *G. B. Longstaff* and *Edward B. Poulton*, 45-48.
- Chapman, *Fred.*: Tertiary Foraminifera of Victoria, Australia — The Balcombian Deposits of Port Phillip, Part I., 10-35.
- On the Foraminifera and Ostracoda from Soundings (chiefly Deep-water) collected round Funafuti by H.M.S. 'Penguin,' 388-444.
- Cheilostomata, 283.
- Cheilostomellidæ, 406.
- Chelifera, *Geoffroy*, 49.
angulatus, *Ellingsen*, mentioned, 66.
articulosus, *Simon*, mentioned, 65.
birmanicus, *Thorell*, from Australia, mentioned, 49, 59.
brevispinosus, *Keyserling*, mentioned, 55.
caneroides, *Linn.*, from Australia, mentioned, 49.
cimicoides, *Fabr.*, from Australia, mentioned, 49.
elongatus, *Ellingsen*, mentioned, 63.
equester, *With*, from Africa, mentioned, 65.
funafutensis,* *With*, from Australia, 57; mentioned, 50, 84.
indicus, *With*, from Asia, mentioned, 64.
- Chelifera *javanus*, *Thorell*, from Asia, 59; mentioned, 62, 63, 64, 84.
Keyserlingi,* *With*, from Australia, 53; mentioned, 49, 83.
longichelifer, *Balzan*, mentioned, 66.
longidigitatus, *Rainbow*, 66.
navigator, *With*, from Asia, 62; mentioned, 64, 84.
nificator, *Balzan*, from Asia, mentioned, 61.
plebejus, *With*, mentioned, 62.
Pococki,* *With*, from Asia, 63; mentioned, 64, 84.
pygmæus, *Keyserling*, from Australia, mentioned, 59.
rotundatus, *With*, mentioned, 65.
rufus, *Balzan*, mentioned, 65.
sculpturatus, *Lew.*, from Natal, mentioned, 65.
Simoni, *Balzan*, from Africa, mentioned, 65, 66.
socotrensis, *With*, mentioned, 65.
subruber, *Simon*, mentioned, 65, 66.
taierensis,* *With*, from Australia, 55 mentioned, 50, 59, 84.
tenuimanus, *Balzan*, mentioned, 66.
vigil,* *With*, from Australia, 50; mentioned, 49, 50, 83.
- Cheliferidæ, *Hans.*, and Garypidæ, *Hans.*,
 On some new Species of, in the British Museum, by *C. J. With*, 49-85.
- Chelostoma, *Latr.*, mentioned, 272.
florisomne, *Linn.*, mentioned, 272.
- Cheridium ferum, *Simon*, mentioned, 49.
- Chermes, *Linn.*, 5.
abietis, *Linn.*, mentioned, 8.
ilicis, *Geoffroy*, mentioned, 7.
- Chermes or Kermes, Note on the Origin of the Name, by *E. R. Burdon*, 5-9.
- Chilomenes lunata, *Fabr.*, mentioned, 257.
- Chilophorus, *read* Chilophoxus, *Stebbing*, mentioned, 231.
- Chilophoxidæ, 231.
Chilophoxus, *Stebbing*, 231.
- Chiridium corticum, *Balzan*, mentioned, 80.
ferum, *Simon*, 80, 85.
museorum, *Leach*, mentioned, 80, 81.
- Chirodota, *Eschsch.*, 110.
dunedinensis, *Dendy*, mentioned, 95, 111, 112, 125.

- Chirodota fernandensis* (sphalm.?), 112.
geminifera,* *Dendy & Hindle*, 112, 125; mentioned, 95, 122, 251.
geminifera, *Dendy & Hindle*, Note on the Spicules of, by Prof. Arthur Dendy, 251.
gigas,* *Dendy & Hindle*, 110, 123; mentioned, 95.
japonica, *von Marenzeller*, mentioned, 113.
pisanii, *Ludwig*, mentioned, 111.
Chironophthya, *Wright & Studer*, 187.
annulata,* *Harrison*, 188.
flavocapitata,* *Harrison*, 187.
gracilis,* *Harrison*, 188.
Hicksoni,* *Harrison*, 188.
pendula, var. *indica*,* *Harrison*, 187; = *Siphonogorgia pendula*, *Studer*, 187.
planoramosa,* *Harrison*, 187.
purpurea,* *Harrison*, 188.
retractilis,* *Harrison*, 187.
siphonogorgica,* *Harrison*, 187.
variabilis, *Hickson*, 187.
Chærocampa, *Dup.*, mentioned, 269.
elpenor, *Linn.*, mentioned, 269.
myodon, *Walker*, mentioned, 269.
osiris, *Dalm.*, mentioned, 269.
porcellus, *Linn.*, mentioned, 269.
Chonocephalus, *Wandolleck*, mentioned, 152, 153.
dorsalis, *Wandolleck*, mentioned, 152.
Chorizopora, *Hincks*, 299.
annulata, *Lamouroux*, 299.
Brongiartii, *Hincks*, mentioned, 299.
prominens, *Lamouroux*, mentioned, footnote 299.
Cicindela, *Linn.*, mentioned, 181.
apiata, *Dej.*, mentioned, 181.
biramosa, *Fabr.*, mentioned, 171, 182.
campestris, *Linn.*, mentioned, 161, 168, 172; egg-laying of, 161; larvæ and life-history of, 157, 158.
cuprascens, *Latr.*, mentioned, 160, 169, 172, 173, 180, 184; life-history of, 169-171.
duodecimguttata, *Dej.*, mentioned, 160, 175; life-history of, 166.
 — subsp. *repanda*, *Dej.*, mentioned, 160, 166; life-history of, 166.
Cicindela flexuosa, *Fabr.*, egg and egg-laying habit of, 158, 161, 174.
formosa, *Say*, subsp. *generosa*, *Dej.*, mentioned, 160, 165, 173.
generosa, *Dej.*, mentioned, 160, 165, 170-180, 184.
hæmorrhoidalis, *Wiedem.*, mentioned, 182.
hirticollis, *Say*, mentioned, 160, 172, 173, 174, 175, 177, 184; deposit of eggs, mentioned, 167.
hybrida, *Linn.*, 158; mentioned, 165, 171, 182, 184.
imperfecta, *Lec.*, mentioned, 182.
Lecontei, *Hald.*, mentioned, 160; life-history of, 166; parasitized by larvæ of *Spogostylum anale*, *Say*, 166.
limbalis, *Klug*, mentioned, 160, 164, 170-176, 184; egg-laying mentioned, 164, 169, 177, 179.
lepida, *Lec.*, 168; mentioned, 160; egg-laying, 168, 169, 171-173, 184.
maritima, *Dej.* (f), mentioned, 171.
punctulata, *Oliv.*, 168; mentioned, 160; egg-laying, 168, 170-173, 176, 184.
purpurea, *Oliv.*, 160; mentioned, 160, 163-166, 170, 171-173, 175, 183.
 — subsp. *limbalis*, *Klug*, mentioned, 160, 170, 176, 184; egg-laying, 164, 177.
regalis, *Dej.*, mentioned, 174.
repanda, *Dej.*, mentioned, 160-184; life-history of, mentioned, 166-177.
scutellaris, *Say*, mentioned, 160, 172, 173, 174, 176.
 — aber. *Lecontei*, *Hald.*, mentioned, 160-166; parasitized by larvæ of *Spogostylum anale*, *Say*, 166, 170, 184.
sexguttata, *Fabr.*, mentioned, 160, 167-173; egg-laying mentioned, 167, 168, 184.
tranquebarica, *Herbst*, mentioned, 160, 166, 170, 171-174, 175, 184.
tuberculata, *Parry*, mentioned, 182.
12-guttata, *Herbst*, mentioned, 170-173, 177, 184.

- Cicindelidæ, Life-Histories and Larval Habits of the Tiger Beetles, by V. E. Shelford, 157-184.
- Clavulina, *Orb.*, 29.
angularis, *Orb.*, 29; mentioned, 30.
communis, *Orb.*, 29-35.
parisiensis, *Orb.*, 30.
Szabó, *Hantken*, mentioned, 30, 32.
textularioidea, *Goës*, 30, 35.
- Clotenia, *Dohrn*, 226.
conirostris, *Dohrn*, 226.
- Clubionidæ, mentioned, 261, 263.
- Clytus arietis, *Linn.*, mentioned, 272.
- Cnaphalodes*, sphalm. = *Gnaphalodes*, 8.
- Coccinellidæ, 257.
- Coccorchesites, *Thorell*, mentioned, 257.
- Coccus, *Linn.*, mentioned, 5-9.
cacti, *Linn.*, mentioned, 6.
citri, *Linn.*, mentioned, 7.
ilicis, *Linn.*, mentioned, 6-9.
querci-ilicis, *Linn.*, mentioned, 7.
- Cochliopodium bilimbosum (*Auerb.*), *Leidy*, mentioned, 362.
- Cænoptychus, *Simon*, mentioned, 261.
- Collyris, *Fabr.*, mentioned, 169, 181; young stages of, 159.
- Colochirus *alba*, *Dendy*, 98.
brevidentis, *Dendy*, 99.
brevidentis, *Ludwig*, 99.
calcareæ, *Dendy*, 99; mentioned, 100.
ocnoidea, *Dendy*, 100.
- Colossendeidæ, 228.
- Colossendeis, *Jarzynsky*, 228.
angusta, *G. O. Sars*, 228.
angusta, *Hansen*, 228.
angusta, *Hoek*, 228.
angusta, *Meinert*, 228.
angusta, *Wilson*, 228.
borealis, *Jarzynsky*, 228.
clavata, *Meinert*, 229.
colosea, *E. B. Wilson*, 229.
colosea, *Meinert*, 229.
gigas, *Hoek*, 229.
gigas, *Topsent*, 229.
leptorhynchus, *Hoek*, var. *septentrionalis*, *Caulley*, 229.
macerrima, *E. B. Wilson*, 229.
macerrima, *Meinert*, 229.
minuta, *Hoek*, 229.
proboscidea, *Sabine*, 228.
proboscidea, *Carpenter*, 228.
- Colossendeis *proboscidea*, *Hoek*, 228.
proboscidea, *Meinert*, 228.
proboscidea, *G. O. Sars*, 228.
- Cooper, W. F., and L. E. Robinson, Note on a new South African Tick, *Rhipicephalus phthirioides*, sp. n., 35-38.
- Corallanidæ, 39.
- Corallina, *Linn.*, fragments of, mentioned, 12.
- Cordylochele, *G. O. Sars*, 207.
brevicollis, *G. O. Sars*, 208.
longicollis, *G. O. Sars*, 208.
longicollis, *Meinert*, 208.
malleolata, *G. O. Sars*, 207; mentioned, 206.
malleolata, *Meinert*, 207.
- Corinomma *read* *Corinomma*, *Karsch*, mentioned, 262.
- Cornuspira, *Schultze*, 22, 399.
crassisepta, *Brady*, 22, 34, 399.
foliacea, *Philippi*, 24.
foliacea, *Howchin*, 23.
involvens, *Reuss*, 22; mentioned, 23, 34.
striolata, *Brady*, 23; mentioned, 24, 34.
- Corydiinæ, 351.
- Corythion dubium, *Taránek*, 367; mentioned, 362, 368.
- Crassimarginatella *crassimarginata*, *Hincks*, 287.
crassimarginata, *Canu*, 288.
tenirostris, *Hincks*, 288.
- Cremastogaster *contenta*, *read* *contemta*, *Mayr*, mentioned, 259.
- Cribrilina, *Gray*, mentioned, 289.
Balzaci, *Audouin*, 292.
Balzaci, *Norm.*, 292.
Balzaci, *Waters*, 292.
innominata, *Couch*, 291.
innominata, *Norm.*, 292.
innominata, *Smitt*, 291.
punctata, *Hassall*, 292.
radiata (*Moll*), 291; mentioned, 292.
 — var. *foliolata*,* *Norman*, 291.
radiata, *Harmer*, 292.
radiata, *Hincks*, 291.
setosa, *Waters*, 292.
- Crisia, *Lamarck*, 277.
eburnea, *Linn.*, 277; mentioned, 296.
elongata, *H. Milne-Edw.*, 277.
fistulosa, *Heller*, 277; mentioned, 312.

- Crisia fistulosa*, Waters, 277.
tenella, Calvet, 277.
- Cristellaria*, *Lamarck*, 412.
articulata, *Reuss*, 413; mentioned, 441.
convergens, *Bornemann*, 412; mentioned, 441.
gibba, *Orb.*, mentioned, 394.
orbicularis, *Orb.*, 412.
reniformis, *Orb.*, 412; mentioned, 441.
rotulata, *Lamarck*, 412; mentioned, 441.
tenuis, *Bornemann*, 413; mentioned, 441.
variabilis, *Reuss*, 413; mentioned, 441.
- Cryptella Koehleri*, L. Calvet, 299.
torquata, L. Calvet, 300.
- Cryptocerus*, *Latr.*, mentioned, 262.
- Cryptochelata*, *Sars*, 224.
- Ctenostoma*, *Klug*, mentioned, 174.
- Ctenostomata*, 282.
- Cucumaria alba*, *Hutton*, 98; mentioned, 95.
alba, Ludwig, 98.
alba, R. Perrier, 99.
 — var. *Filholi*, R. Perrier, 99.
brevidentis, *Hutton*, 99; mentioned, 100.
brevidentis, R. Perrier, 99.
Filholi, R. Perrier, 99; mentioned, 95.
ocnoides, *Dendy*, 100; mentioned, 109.
ocnoides, Ludwig, 100.
ocnoides, R. Perrier, 100.
turbinata, *Hutton*, mentioned, 95.
- Culex*, *Linn.*, forcipes of, mentioned, 357.
- Cupularia canariensis*, *Busk*, 289.
doma, *Smitt*, 290.
guineensis, *Busk*, 289; mentioned, 313.
Johnsoni, *Busk*, 290; mentioned, 313.
Loweï, *Gray*, 290; mentioned, 313.
Loweï, *Busk*, 290.
monotrema, *Busk*, mentioned, 289.
Oweni, *Gray*, 290.
Oweni, *Busk*, 290.
Reussiana, *Manzoni*, 290.
stellata, *Busk*, mentioned, 289.
umbellata, *Manzoni*, 290.
- Cuspidaria rostrata*, *Spengler*, mentioned, 276.
- Cyclamma cancellata*, *Brady*, mentioned, 276, 394.
- Cycloclypeus*, *Carpenter*, 425.
- Cycloclypeus carpenteri*, *Brady*, 425; mentioned, 392.
guembelianus, *Brady*, mentioned, 425.
- Cyclosa*, *Menge*, species of, resemble small Mollusca, mentioned, 257.
- Cyclostomata*, 277.
- Cynips* (Biorrhiza) aptera, *Bosc*, mentioned, 274.
 (—) *terminalis*, *Mayr*, mentioned, 274.
- Cyphoderia ampulla* (*Ehrenb.*), *Leidy*, mentioned, 360, 362.
- Cypridæ, 426.
- Cyrtarachne conica*, *O. Pickard Cambridge*, mimics a snail, mentioned, 257.
lactea, *Pocock*, from East Africa, mentioned, 269.
- Cyrtaucheninae*, mentioned, 268.
- Cythere*, *Müller*, 431; mentioned, 389–395.
curvicostata, *G. S. Brady*, 432; mentioned, 441, 444.
 — var. *funafutiensis*,* *Chapman*, 432; mentioned, 439.
 — var. *phylloides*, *Chapman*, 432; mentioned, 441.
dasyderma, *G. S. Brady*, 432.
dictyon, *G. S. Brady*, 433; mentioned, 441.
moseleyi, *G. S. Brady*, 431.
parallelogramma, *G. S. Brady*, 431; mentioned, 441.
phylloides, *Chapman*, 432.
quadraculeata, *G. S. Brady*, 432.
rastromarginata, *G. S. Brady*, 431.
serratula, *G. S. Brady*, 433.
sweeti,* *Chapman*, 432; mentioned, 389, 390, 391, 439, 444.
 — var. *curvicostata*,* *Chapman*, mentioned, 391.
 — var. *funafutiensis*,* *Chapman*, mentioned, 391.
torticollis, *G. S. Brady*, 431.
velivola, *G. S. Brady*, 433.
viminea, *G. S. Brady*, 433.
- Cytheridæ, 431.
Cytheridea margaritea, *G. S. Brady*, 435.
- Cytheropteron*, *G. O. Sars*, 436; mentioned, 390.
abyssorum, *G. S. Brady*, 437.

- Cytheropteron assimile, *G. S. Brady*, 436; mentioned, 444.
 — var. funafutiensis,* *Chapman*, 436; mentioned, 390, 439.
 wellingtoniense, *G. S. Brady*, 436.
- Cytherura, *G. O. Sars*, 436; mentioned, 390, 391.
 clavata, *G. S. Brady*, mentioned, 436.
 tenuicosta,* *Chapman*, 436; mentioned, 390, 391, 439, 444.
- Dab, mentioned, 241.
- Dactylosphærium radiosum (*Ehrenb.*), *Bütschli*, mentioned, 361.
- Darbishire, A. D., On the Direction of the Aqueous Current in the Spiracle of the Dogfish; together with some Observations on the Respiratory Mechanism in other Elasmobranch Fishes, 86-94.
- Dendy, Arthur, Note on the Spicules of Chirodota geminifera, *Dendy & Hindle*, 251.
- Dendy, A., & E. Hindle, Some Additions to our Knowledge of the New Zealand Holothurians, 95-125.
- Dendromyrmex fabricii, mentioned, 261.
- Dentalina communis, *Orb.*, 412; mentioned, 440.
 consobrina, *Orb.*, 412; mentioned, 440.
 filiformis, *Orb.*, 412; mentioned, 440.
 mucronata, *Neugeboren*, 412; mentioned, 441.
- Diachoris simplex*, *Heller*, 286.
- Diastopora, *Lamarck*, 282.
 pulchella, *J. Y. Johnson*, 282.
- Dicaiothrips, *Buffa*, 370; mentioned, 374.
 brevicornis,* *Bagnall*, 379; mentioned, 369, 371, 386, 387.
 Championi,* *Bagnall*, 375; mentioned, 369, 371, 374, 375, 386, 387.
 distinctus,* *Bagnall*, 378; mentioned, 369, 371, 379, 380, 386, 387.
 foveicollis, *Bagnall*, 375; mentioned, 369, 371, 372, 374, 386.
 grandis,* *Bagnall*, 373; mentioned, 369, 371, 374, 386, 387.
 lævicollis,* *Bagnall*, 375; mentioned, 369, 370, 371, 374, 377, 386, 387.
- Dicaiothrips nitidus,* *Bagnall*, 372; mentioned, 369, 371, 373, 386, 387.
 propinquus,* *Bagnall*, 377; mentioned, 369, 371, 374, 378, 380, 386, 387.
 schötti, *Heeger*, mentioned, 371.
- Diceratothrips, *Bagnall*, mentioned, 369.
 armatus,* *Bagnall*, 385; mentioned, 370, 382, 386, 387.
- Diffugia, *Ehrenb.*, mentioned, 360, 361.
 acuminata, *Ehrenb.*, mentioned, 361.
 constricta (*Ehrenb.*), *Leidy*, 364; mentioned, 360, 361.
 globulus, *Ehrenb.*, mentioned, 361.
 gramen, var. achlora, *Penard*, mentioned, 364.
 lanceolata, *Penard*, 363; mentioned, 361.
 limnetica, *Levander*, mentioned, 364.
 lobostoma, *Leidy*, mentioned, 361.
 oblonga, *Ehrenb.*, mentioned, 360, 361, 363.
 oviformis, *Cash*, 364; mentioned, 361, 368.
 pyriformis, *Perty*, mentioned, 360, 363.
 — var. vas, *Leidy*, mentioned, 364.
 rubescens, *Penard*, 363; mentioned, 361, 368.
 urceolata, *Carter*, mentioned, 361.
- Dimorphina, *Orb.*, 414.
 lingulinoides, *Millett*, 414.
- Diporula verrucosa*, *Hincks*, 298.
- Diptera, *Ænigmatistes africanus*,* *Shelford*, a new Genus and Species of, 150-155.
- Discopora emucronata, *Smitt*, mentioned, 308.
- Discorbina, *Parker & Jones*, 419.
 araucana, *Orb.*, mentioned, 394.
 globularis, *Orb.*, 419; mentioned, 441, 444.
- Dogfish, on the Direction of the Aqueous Current in the Spiracle of the; together with some Observations on the Respiratory Mechanism in the Elasmobranch Fishes, by A. D. Darbishire, 86-94.
- Dolichoscaptus inops, *Simon*, protective mimicry in nest-building of, mentioned, 268.
- Drassidæ, mentioned, 261.
- Echinocucumis *alba*, *Hutton*, 98.
alba, *Lampert*, 98.

- Echinocucumis (?) *alba*, Théel, 98.
 Echinoid spines, mentioned, 12.
 Ectobiinæ, 339.
 Ectobius, *Westw.*, mentioned, 336, 337, 338.
 balticus, *Germ. & Ber.*, 339; mentioned, 338, 340, 354.
 inclusus,* *R. Shelford*, 340; mentioned, 354.
 lapponicus, *Linn.*, mentioned, 338, 339, 340.
 Ectoprocta, 277.
 Ehrenbergina, *Reuss*, 33, 406.
 hystrix, *Brady*, 406; mentioned, 389, 395, 440.
 pupa, *Orb.*, 406.
 serrata, *Reuss*, 33, 406; mentioned, 35, 392, 395, 440.
Elaphrothrips, *Buffa*, 380.
 longiceps, *Buffa*, 382.
Elatiptus, *Amyot*, mentioned, 8.
Empis, *Linn.*, mentioned, 359.
 Endeidæ, 231.
 Endeis, *Philippi*, 231.
 charabdæus, *Dohrn*, 233.
 didactyla, *Philippi*, mentioned, 234.
 gracilis, *Philippi*, 233.
 spinus, *Montagu*, 233.
 Entalophora, *Lamarck*, 280.
 clavata, *Hineks*, 281.
 deflexa, *R. Q. Couch*, 281; mentioned, 312.
 elegans,* *Norman*, 281; mentioned, 312.
 proboscida, *H. Milne-Edw.*, 280; mentioned, 281, 312.
 subverticillata, *Calvet*, 281.
 Entoprocta, 277.
Entosolenia marginata, var. *lucida*, *Williamson*, 409.
 Epeiridæ, 257, 266.
 Ephialtes, *Schr.*, mentioned, 271, 272.
 carbonarius, *Christ.*, mentioned, 271, 272.
 extensor, *Tasch.*, mentioned, 273, 274.
 manifestator, *Linn.*, mentioned, 271.
 Ephydatia crateriformis, *Potts*, mentioned, 245, 249.
 fluviatilis, *Autt.*, mentioned, 245.
 indica, *Annandale*, mentioned, 249.
 Mülleri, *Lieberkühn*, mentioned, 245.
 Ephydatia plumosa, *Carter*, mentioned, 250.
 Epimeria, *Costa*, mentioned, 191.
 Eresidæ, mentioned, 260.
 Erica, *Peckham*, mentioned, 263.
 Escaropsis, *Verrill* (= *Escharoides*, *auct.*, nec *Milne-Edwards* and *Gray*), mentioned, 301.
 Eschara *coscinophora*, *Busk*, 296.
 coscinophora, *Reuss*, 296.
 coscinophora, *Stoliczka*, 296.
 distoma, *Busk*, 296.
 foliacea, *Linn.*, mentioned, 305.
 polystomella, *Manzoni*, 296.
 radiata, *Moll*, 291.
 tubulata, *Busk*, 299.
 Escharella immersa, *Fleming*, mentioned, 304 (= *Membranipora Peachii*, *Johnston*), mentioned, 304.
 obscura,* *Norman*, 304; mentioned, 313.
 setosa, *Smitt*, mentioned, 307.
 Escharina Hyndmanni, *Johnston*, 302.
 Johnstoni, *Quelch*, 302.
 pes-anseris, *Smitt*, 302; mentioned, 313.
 vulgaris, *Moll*, 302; mentioned, 303.
 Escharoides, *Edw.*, mentioned, 304.
 coccinea, *Abildgaard*, 304.
 Eucallia, *Guér.*, mentioned, 169.
 boussingaulti, *Guér.*, mentioned, 182.
 Euchelata, 201.
 Eucratea, *Lamarck*, mentioned, 294, 295.
 Contei, *Audouin*, 295.
 Lafontii, *Audouin*, mentioned, 295.
 Euglypha alveolata, *Dujardin*, mentioned, 360, 362, 366.
 ciliata (*Ehrenb.*), *Leidy*, mentioned, 362, 366.
 compressa, *Carter*, 366; mentioned, 362, 368.
 strigosa (*Ehrenb.*), *Leidy*, mentioned, 362.
 Euglyphina, 362.
 Eurycididæ, 227.
 Eurycyde, *Schödte*, 227.
 hispida, *Kröyer*, 227.
 hispida, *Hansen*, 227.
 hispida, *Sars*, 227.
 hispida, *Schödte*, 227.
 Eusiridæ, 193.

- Ewart, Alfred J., A Contribution to the Physiology of the Museum Beetle, *Anthrenus museorum* (Linn.), 1-5.
- Fabularia, *DeFr.*, mentioned, 10.
- Fenestrulina malusii, *Audouin*, 297.
malusii, J. Jullien, 297.
- Fertonius luteicollis, *Lepeletier*, mentioned, ftnote 265.
- Filisparsa, *Orb.*, 279.
irregularis, *Meneghini*, 279; mentioned, 312.
— var. 1. typical, 284.
— var. 2. punctata,* *Norman*, 280; mentioned, 312.
— var. 3. superba, *J. Jullien*, 280; mentioned, 312.
irregularis, *Calvet*, 280.
- Fish, mentioned, 12.
otoliths, mentioned, 390.
- Flounder, mentioned, 241.
- Fluda, *Peckham*, mentioned, 263.
- Flustra *Balzaci*, *Audouin*, 292.
coronata, *Audouin*, 297, 298.
dentata, *Müller*, mentioned, 287.
Poissonii, *Audouin*, 307.
Pouilletii, *Audouin*, 291.
tehuelcha, *Orb.*, 286.
tuberculata, *Bosc*, 286; mentioned, 287.
umbracula, *Audouin*, 297, 298.
- Fly, wingless, found on an Aroid, with offensive odour, mentioned, 152.
- Foraminifera, Tertiary, of Victoria, Australia.—The Balcombian Deposits of Port Phillip: Part I. By Fred. Chapman, 10-35.
— and Ostracoda from Soundings (chiefly Deep-water) collected round Funafuti by H.M.S. 'Penguin.' By F. Chapman, 388-444.
- Formica, *Linn.*, mentioned, 263.
— rufibarbis, *Fabr.*, associated with *Micaria scintillans*, *O. Pickard Cambridge*, mentioned, 259.
- Formicina, *Can.*, mentioned, 260.
- Formicinoides, *Keyserling*, mentioned, 260.
- Foxichilus pygmæus, *O. G. Costa*, mentioned, 234.
- Fredericella sultana, *Blumenb.*, mentioned, 249.
- Freshwater Sponges, On some, collected in Scotland, by N. Annandale, 244-250.
- Fron dipora, *Oken*, 281.
maderensis, *J. Y. Johnson*, 281.
verrucosa, *Lamouroux*, 281.
- Gamasidæ, 145.
- Garypidæ, *Hans.*, and Cheliferidæ, *Hans.*,
On some new species of, in the British Museum, by C. J. With, 49-85.
- Garypinus, *Dad.*, mentioned, 80.
mirabilis,* *With*, 79, 85.
nobilis, *With*, mentioned, 78, 79.
oceanicus,* *With*, 77; mentioned, 59, 85.
- Garypus, *Koch*, 66.
cuyabanus, *Balzan*, mentioned, 70.
elegans, *Simon*, mentioned, 67, 68.
floridensis, *Banks*, 70; mentioned, 69, 72, 84.
irrugatus, *Simon*, mentioned, 68, 70.
longidigitatus, *Rainbow*, 66, 84.
maculatus,* *With*, 68, 84.
saxicola, *With*, 71.
- Gaudryina, *Orb.*, 28, 403.
oxycona, *Reuss*, 29, 35.
pupoides, *Orb.*, 28, 403; mentioned, 35, 395, 440.
Reussi, *Hantken*, 29.
rugosa, *Orb.*, 28, 403; mentioned, 35, 390, 440.
siphonella, *Reuss*, 28, 35.
- Gecko, South African (*Pachydaetylus maculatus*, *A. Smith*), Note on the Vitality of the Tail of a, by Dr. G. B. Longstaff, 48.
- Gemellaria loricata, *Linn.*, 283.
- Gemmaria arenacea,* *Wilsmore*, 323; mentioned, 326, 327, 328.
canadiensis, *Hadden & Duerden*, mentioned, 325.
fusca, *Duerden*, mentioned, 326.
isolata, *McMurrich*, mentioned, 325, 326.
- Macmurrichi, *Hadden & Shackleton*, mentioned, 326.
- multa sulcata, *Carlgren*, mentioned, 325.
- mutuki, *Hadden & Shackleton*, mentioned, 326.

- Gemmaria Rusei, *Duch. & Mich.*, mentioned, 325.
 variabilis, *Duerden*, mentioned, 324.
 Willeyi, *Whitelegge*, mentioned, 325.
 Geranomyia, *Haliday*, mentioned, 355.
 Globigerina, *Orb.*, 416; mentioned, 391, 393, 395.
 æquilateralis, *Brady*, 417; mentioned, 389-395, 441.
 bulloides, *Orb.*, 416; mentioned, 389, 391, 395, 441.
 conglobata, *Brady*, 416; mentioned, 389-395, 441.
 digitata, *Brady*, 417; mentioned, 391-395, 441.
 dubia, *Egger*, 417; mentioned, 395, 441.
 dutertrei, *Orb.*, 417; mentioned, 389, 441.
 inflata, *Orb.*, 417.
 rubra, *Orb.*, 416; mentioned, 389-391, 441.
 sacculifera, *Brady*, 417; mentioned, 389-395, 441.
 subretacea, *Chapman*, 417; mentioned, 389-395, 441.
 triloba, *Reuss*, 416; mentioned, 389, 390, 441.
 trochoides, *Reuss*, 416; mentioned, 441, 444.
 Globigerinidæ, 416.
Gnaphalodes, *Thomps.*, mentioned, 8.
 Gobiidæ, 244.
 Gorgonids, mentioned, 12.
 Grapholitha dorsana, *Ratz.*, mentioned, 274.
 pactolana, *Zeller*, mentioned, 274.
 Graptartia, *Simon*, mentioned, 261.
 Gromiina, 362.
 Gymnolæmata, 277.
 Gynoplistia, *Westw.*, mentioned, 356.

 Halimeda, *Lamarck*, mentioned, 392, 393.
 Halysis,* *Norman*, 295.
 diaphana, *Busk*, 296.
 Haplophragmium, *Reuss*, 24, 400.
 agglutinans, *Orb.*, mentioned, 30.
 canariense, *Orb.*, 400; mentioned, 391, 440.
 fontinense, *Terquem*, 401; mentioned, 440.
 Haplophragmium lagenarium, *Berthelin*, 400.
 latidorsatum, *Bornemann*, 401; mentioned, 391, 394, 440.
 sphæroidiniforme, *Brady*, 24, 401; mentioned, 34.
 sphæroidiniformis, *Brady*, 24, 401.
 Haplophthalmus danicus, *Budde-Lund*, mentioned, footnote 43.
 Harrison, Ruth M., Some new Alcyonaria from the Indian and Pacific Oceans, 185-190.
 Hastigerina, *Wyllie Thomson*, 418.
 pelagica, *Orb.*, 418.
Hauerina exigua, *Brady*, 21.
 Hauerininae, 21.
 Hawk-Moths (*Chærocampa elepenor*, *Linn.*, and *porcellus*, *Linn.*) protected by likeness to the heads of snakes, mentioned, 269.
 Heleopera petricola, *Leidy*, 365; mentioned, 362.
 Hemicyclopora multispinata, *Busk*, 308; mentioned, 314.
 polita, *Norman* (= *Discopora emucronata*, *Smitt*), mentioned, 308.
 Hemiteles, *Grav.*, mentioned, 267.
 Hermannia, *Nic.*, 140.
 phyllophora,* *Michael*, 140, 149.
 Heteromeyenia Ryderi, *Potts*, mentioned, 245, footnote 249.
 Heterostegina, *Orb.*, 425.
 depressa, *Orb.*, 425; mentioned, 392.
 Hilara, *Meigen*, mentioned, 359.
 Hincksina flustroides, *Hincks*, 286.
 flustroides, *Norman*, 286.
 maderensis, *Waters*, 286.
 Hindle, E., and Dendy, Arthur, Some Additions to our Knowledge of the New Zealand Holothurians, 95-125.
 Hippothoa divaricata, *Lamouroux*, 299.
 divergens, *Smitt*, 303.
 flagellum, *Manzoni*, 299.
 pes-anseris, *Smitt*, 302.
 Holocompsa, *Burm.*, mentioned, 336, 337, 338.
 fossilis,* *R. Shelford*, 352; mentioned, 355.
 minutissima, *de Geer*, mentioned, 338, 352.
 Holothuria difficilis, *Semper*, 98; mentioned, 95, 123.
 difficilis, *Bedford*, 28.

- Holothuria difficilis*, Lampert, 98.
difficilis, Ludwig, 98.
difficilis, Semper, 98.
difficilis, Sluter, 98.
mollis, Hutton, 96.
mollis, Lampert, 96.
mollis, Théel, 96.
Robsoni, Dendy, 96.
Robsoni, Hutton, 96: mentioned, 97.
Robsoni, Lampert, 96.
Robsoni, Théel, 96.
 (? *Stichopus*) *mollis*, Hutton, 96.
- Holothurians, Some Additions to our Knowledge of the New Zealand, by Arthur Dendy and E. Hindle, 95-125.
- Homalattus, *White*, mentioned, 257.
- Homoptera, larvæ of, mimic ants, mentioned, 264.
- Hornera pectinata, *Busk*, 280.
pectinata, Johnson, 280.
- Hyalosphenia papilio, *Leidy*, mentioned, 361.
- Hymenastrum, *Ehweb.*, mentioned, 389.
- Hyperammina, *Brady*, 399.
elongata, *Brady*, 399; mentioned, 391, 394, 400, 440.
friabilis, *Brady*, 400.
ramosa, *Brady*, 400; mentioned, 391, 440.
- Ichneumon extensorius, *Panz.*, mentioned, 274.
 manifestator, *Marsham* (nec *Linn.*), Observations on the Economy of the, an historical note; by Claude Morley, 271-274.
 primatorius, *Forster*, mentioned, 274.
- Ichneumonidæ, 257; mentioned, 267, 268.
- Ideobisium crassimanum, *Balzan*, mentioned, 81.
- Ideoroncus, *Balzan*, 81.
 Cambridgei, *L. Koch*, 81; mentioned, 49, 82, 85.
- Idmonea atlantica, *E. Forbes*, 278; mentioned, 312.
concava, *Reuss*, 279; mentioned, 312.
concava, *Waters*, 279.
fragilis, *Calvet*, mentioned, 279.
irregularis, *Busk*, 279.
irregularis, *Heller*, 279.
irregularis, *Meneghini*, 279.
irregularis, *Waters*, 279.
- Idmonea liliacea, *Pallas*, 278.
 Meneghini, *Heller*, 278; mentioned, 312.
 Meneghini, *Waters*, 278.
 pedata,* *Waters*, 279; mentioned, 312.
 radians, *Lamarck*, mentioned, 129.
 serpens, *Linn.*, mentioned, 278.
- Idolothrips, *Haliday*, 380; mentioned, 369, 370.
 affinis, *Bagnall*, mentioned, 369.
 angustatus,* *Bagnall*, 380; mentioned, 369, 382, 386, 387.
 assimilis, *Bagnall*, mentioned, 369.
 foreicollis, *Bagnall*, 375; mentioned, 370, 371.
 longiceps, *Bagnall*, 382; mentioned, 369, 381, 382, 386, 387.
 marginata, *Haliday*, mentioned, 380.
 Schotti (*Heeger*), *Uzel.*, mentioned, 370.
 spectrum, *Haliday*, mentioned, 380.
- Ildibaha, *Keyserl.*, mentioned, 260.
 albomaculata, *Keyserl.*, mentioned, 260.
 mutilloides, *Simon.*, 270; mentioned, 260.
 myrmicæformis, mentioned, 260.
- Imms, A. D., On a new species of Symphyla from the Himalayas, 251-255.
- Inversula nutrix, *J. Jullien*, 298.
- Isaurus Duchassaingii, *Duerden*, mentioned, 326.
- Ischnoptera, *Burm.*, mentioned, 336, 337, 339, 340.
 gedanensis, *Germar & Berendt*, 340; mentioned, 341, 354.
 klebsi,* *R. Shelford*, 341; mentioned, 354.
 perplexa,* *R. Shelford*, 341; mentioned, 354.
- Isopod, A new Freshwater, from Calcutta, by Rev. T. R. R. Stebbing, 39-42.
 — On a new British Terrestrial, by Alex. Patience, 42-44.
- Jaculella, *Brady*, 24.
 obtusa, *Brady*, 24, 34.
- Kermes, *Geoffr.*, mentioned, 5-9.
 Hesperidum, *Linn.*, mentioned, 7.

- Kermes ilicis*, *Geoffr.*, mentioned, 7.
Kermes dye insect as *Coccus querci-ilicis*, *Lim.*, mentioned, 7.
Kermes or *Chermes*, Note on the Origin of the Name, by E. R. Burdon, 5-9.
Krithe, *Brady*, *Crosskey & Robertson*, 434; mentioned, 389-393.
 angusta, *Brady & Norm.*, 434; mentioned, 441.
 hyalina, *G. S. Brady*, 434; mentioned, 441.
 præionga, *Egger*, 434.
 producta, *G. S. Brady*, 434; mentioned, 441.
 tumida, *G. S. Brady*, 434; mentioned, 390.
- Lacerna hosteensis*, *Jullien*, mentioned, 304.
Lagena, *Walker & Boys*, 407; mentioned, 389, 391.
 acuticosta, *Reuss*, 407; mentioned, 440.
 alveolata, *Brady*, 411; mentioned, 392, 393, 440.
 — var. *substriata*, *Brady*, 411; mentioned, 440.
 apiculata, *Reuss*, 407; mentioned, 410, 439, 440.
 apiculata, *Brady*, mentioned, 410.
 aspera, *Reuss*, 407; mentioned, 440.
 auriculata, *Brady*, 411.
 botelliformis, *Brady*, 407; mentioned, 395, 440, 443.
 elongata, *Ehrenb.*, 407; mentioned, 440.
 fasciata, *Egger*, 409; mentioned, 440.
 feildeniana, *Brady*, 409; mentioned, 440.
 fimbriata, *Brady*, 411; mentioned, 394, 440.
 formosa, *Schwager*, 411; mentioned, 392, 395, 440.
 foveolata, *Reuss*, 409; mentioned, 444.
 globosa, *Montfort*, 407; mentioned, 394, 440.
 gracilis, *Williamson*, 409; mentioned, 440.
 hexagona, *Williamson*, 408; mentioned, 440.
- Lagena hispida*, *Reuss*, 407; mentioned, 440.
 juddiana, *Chapman* *, 408; mentioned, 390, 439.
 lævigata, *Reuss*, 409; mentioned, 440.
 — var. *acuta*, *Reuss*, 409; mentioned, 440.
 lævnis, *Montagu*, 408; mentioned, 394, 440.
 — var. *distoma*, *Silvestri*, 408 mentioned, 440.
 lagenoides, *Williamson*, 410; mentioned, 440.
 longispina, *Brady*, 407; mentioned, 440.
 lucida, *Williamson*, 409.
 marginata, *Walker & Boys*, 410; mentioned, 394, 440.
 — var. *semimarginata*, *Reuss*, 410; mentioned, 440.
 — var. *seminiformis*, *Schwager*, 410; mentioned, 440.
 orbignyana, *Seguenza*, 411; mentioned, 440.
 — var. *castrensis*, *Schwager*, 411; mentioned, 440.
 — var. *lagunosa*, *Burrows & Holland*, 411; mentioned, 440.
 quadrilata, *Brady*, 410; mentioned, 440.
 quadrata, *Williamson*, 409; mentioned, 392, 440, 444.
 quinquelatera, *Brady*, 409; mentioned, 392, 440.
 seminiformis, *Schwager*, 410.
 spumosa, *Millett*, 408; mentioned, 392, 440, 443.
 staphyllearia, *Schwager*, 410; mentioned, 392, 440.
 stelligera, *Brady*, 407; mentioned, 440.
 striata, *Orb.*, 408; mentioned, 440.
 striatopunctata, *Parker & Jones*, 408.
 sulcata, *Walker & Jacob*, 408; mentioned, 440.
 — var. *striatopunctata*, *Parker & Jones*, fnote 408.
 trigono-marginata, *Parker & Jones*, 410; mentioned, 440.
 ventricosa, *Silvestri*, 410; mentioned, 439 440.

- Lagena wrightiana*, *Brady*, 410; mentioned, 394, 440.
 Lagenidæ, 407; mentioned, 389, 390.
Lagenipora Costazei, *Audouin*, 309; mentioned, 295.
 Costazei, *Waters*, 309.
 lucida, *Hincks.*, 309.
 lucida, *Waters*, 309.
 ignota,* *Norman*, 309; mentioned, 314.
 tuberculata, *MacG.*, mentioned, 132.
 Larvæ of Homoptera, Orthoptera, and Lepidoptera, mimic ants, mentioned, 264.
 Larval Habits of the Tiger Beetles (Cicindelidæ), by V. E. Shelford, 157-184.
Lecanium hesperidum, *Linn.*, mentioned, 7.
Lekythopora laciniosa, *Calvet*, 309.
Lepechinella,* *Stebbing*, 191.
 chrysotheras,* *Stebbing*, 192, 197.
 Lepidoptera, larvæ of, mimic ants, mentioned, 264.
Lepralia adpressa, *Hincks*, 306.
 appendiculata, *Heller*, 297.
 appensa, *Hassall*, 304.
 Botteri, *Heller*, 302.
 canalifera, *Busk*, mentioned, 305.
 cleidostoma, *Smitt*, 305.
 cleidostoma, *Waters*, 305.
 collaris, *J. Jullien*, 306; mentioned, 314.
 contracta, *Waters*, 306; mentioned, 314.
 cribrosa, *Waters*, 292.
 cuspidata, *Manzoni*, 306.
 decorata, *Manzoni*, 297.
 decorata, *Reuss.*, 297.
 discoidea, *Busk*, 303.
 discrepans, *Jullien & Calvet*, 308.
 distoma, *Busk*, 296.
 foliacea, *Solander*, mentioned, 305.
 innominata, *Johnston*, 291.
 innominata, *Manzoni*, 291.
 Kirchenpaueri, *Heller*, 306.
 lata, *Busk*, 306; mentioned, 307.
 lata, *Manzoni*, 306.
 lata, *Waters*, 306.
 Mangnevilla, *Busk*, 305.
 marsupinata, *Busk*, 297.
 mucronelliformis, *Waters*, 306.
 multispinata, *Busk*, 308.
 Pallasiana, *Moll*, 305.
 — var. *strumata*, *Waters*, 306.
Lepralia peristomata, *Waters*, 305; mentioned, 297.
 pertusa, *Esper*, 305.
 pertusa, *Manzoni*, 305.
 Poissonii, *Audouin*, 307; mentioned, 314.
 Poissonii, *Hincks*, 307.
 Poissonii, *Kirkpatrick*, 307.
 porcellana, *Busk*, 305; mentioned, 313.
 Pouilletii, *Busk*, 291.
 radiata, *Busk*, 291.
 scripta, *Manzoni*, 291.
 scripta, *Reuss.*, 291.
 Watersi, *Calvet*, 311.
 Woodiana, *Busk*, 302.
 Leptinotarsa, *Chevr.*, mentioned, 174, 179.
 Leptoclinum, *Edw.*, mentioned, 12.
 Leptorchestes, *Thorell*, mentioned, 264.
Lesquereusia modesta, *Rhumbler*, mentioned, 361.
 spiralis (*Ehrenb.*), *Bütschli*, mentioned, 361.
Lichenopora hispida, *Fleming*, 281.
 — var. *meandrina*, *Peach*, mentioned, 282.
 irregularis, *Johnson*, 282.
 radiata, *Audouin*, 281.
 spinata, *J. Y. Johnson*, 281.
Limacina tertiaria, mentioned, 12.
 Linyphiidæ, mentioned, 260.
Liosilpha, *Stål*, mentioned, 345.
Liothrips, *Uzel*, 382; mentioned, 369.
 elongatus,* *Bagnall*, 382; mentioned, 383, 384, 387.
 intermedius,* *Bagnall*, 384; mentioned, 387.
 similis,* *Bagnall*, 383; mentioned, 384, 387.
Lituola, *Lamarck*, 25.
 simplex, *Chapman*, 25, 34.
 Lituolidæ, 24, 400.
 Lituolinæ, 24.
Lobiancopora, *Pergens*, 282.
 hyalina, *Pergens*, 282.
 hyalina, *Calvet*, 282.
Loboptera nitida, *Germ.*, mentioned, 353.
 Longstaff, Dr. G. B., Note on the Vitality of the Tail of a South African Gecko, *Pachydactylus maculatus*, *A. Smith*, 48.

- Longstaff, G. B., and Edward B. Poulton,
A few Notes on South African Chamæ-
leons, &c., 45-48.
- Lophochernes, *Simon*, mentioned, 65.
- Loxocochna, *G. O. Sars*, 435; mentioned,
391-394.
alata, *G. S. Brady*, 435.
australis, *Brady*, mentioned, 435.
latissima, *G. S. Brady*, 435; men-
tioned, 439.
- Ludwigia ocnoides, *Reiffen*, 100.
- Lycosidæ, mentioned, 266.
- Madeira and neighbouring Islands, Polyzoa
of, by Canon A. M. Norman, 275-314.
- Madracis asperula, *Milne-Edw. & Haime*,
mentioned, 286, 288.
- Manis, *Linn.*, mentioned, ftnote 265.
- Mantichora, *Fabr.*, mentioned, 169, 174.
- Masterman, A. T., On a Possible Case of
Mimicry in the Common Sole, 239-244.
- Megacephalidæ, mentioned, 171.
- Megalomyrmex, *Forel*, mentioned, 261.
- Melandrya caraboides, *Linn.*, mentioned,
272.
- Membranophora (Prothesima) albomaculata,
O. Pickard Cambridge, mentioned, 261.
- Melyciopharis cynips, mentioned, 260.
- Membranipora angulosa, *Manzoni*, 294.
angulosa, *Reuss*, 294.
angulosa, *Waters*, 294.
antiqua, *Busk*, 293.
antiqua, *Hincks*, 294.
canariensis, *Smitt*, 289.
crassimarginata, *Hineks*, 288.
Flemingii, *Waters*, 288.
granulifera, *Hincks*, 288,
Guernei, *J. Calvet*, 287.
irregularis, *Busk*, 287.
Lacroixii (?), *Busk*, 287.
maderensis, *Waters*, 286.
membranacea, *Lamk.*, 286.
Peachii, *Johnston*, mentioned, 304.
Rossellii, *Hincks*, 288.
sceletos, *Busk*, 289.
sceletos, *Hincks*, 289.
sceletos, *Waters*, 289.
tehuelcha, *Waters*, 287.
tenuirostris, *Hincks*, 288.
trichophora, *Busk*, 287.
tuberculata, *Bosc*, 286.
- Membranipora tuberculata, *Busk*, 287.
- Membraniporella, *Smitt*, 288.
neptuni, *J. Calvet*, 289.
nitida, *Johnston*, 288; mentioned, 289.
— var. *intermedia*,* *Norm.*, 288;
mentioned, 312.
sceletos, *Busk*, 289.
- Metoponorthus pruinosis, *Brandt*, men-
tioned, ftnote 43.
- Micaria scintillans, *G. Pickard Cambridge*,
resembles black ants (*Formica rufibarbis*,
Fabr.), mentioned, 259.
- Michael, A. D., Unrecorded Acari from
New Zealand, 135-149.
- Micrathena, *Sund.*, mentioned, 260.
- Microgromia socialis, *Archer*, mentioned,
362.
- Micropora, *Gray*, 293.
coriacea, *Espér*, 293; common on
Ostrea cochlear, de Noronha, 293.
impressa, *Norm.*, 294.
- Microporella, *Hincks*, 297.
coronata, *Audouin*, 297; mentioned,
313.
decorata, *Reuss*, 297; mentioned, 313.
decorata, *Hincks*, 297.
marsupiata, *Busk*, 297; mentioned,
313.
nutrix, *J. Jullien*, 298; mentioned, 313.
verrucosa, *Peach*, 298.
- Miliolidæ, 13, 390, 395.
- Miliolina, *Williamson*, 17, 397; mentioned,
395.
agglutinans, *Orb.*, 20, 34.
alveoliniformis, *Brady*, 398; men-
tioned, 392.
bosciana, *Orb.*, 397; mentioned, 440.
circularis, *Bornemann*, 17, 397; men-
tioned, 34, 440.
contorta, *Orb.*, 19, 34.
cuvieriana, *Orb.*, 19, 34.
ferussacii, *Orb.*, 19, 398; mentioned,
34, 440.
linnæana, *Orb.*, 20, 34.
nudosa, *Karrer*, mentioned, 19.
oblonga, *Montagu*, 17, 397; men-
tioned, 34, 440.
polygona, *Orb.*, 18, 34.
schreiberiana, *Orb.*, 17, 34.
seminulum, *Linn.*, 19, 397; mentioned,
34, 440.

- Miliolina subrotunda*, *Montagu*, 397.
 tricarinata, *Orb.*, 18, 397; mentioned, 34, 440.
 trigonula, *Lamarck*, 18, 397; mentioned, 17, 34.
 venusta, *Karrer*, 20, 34, 398; mentioned, 389, 440.
 vulgaris, *Orb.*, 18, 397; mentioned, 34, 440.
- Miliolininae*, 13.
- Miliolites ringens*, *Lamarck*, 13.
- Mimicry:
 — Ant-Mimicry in Spiders, explan. of, 264.
 — in Spiders, by R. I. Pocock, 265–270.
 — in Spiders, doubtful cases of, 268–270.
 — of Ants and Mutillas by Spiders, 258–264.
 — of Snails and Beetles by Spiders, 257.
- Mimicry, On a Possible Case of, in the Common Sole, by A. T. Masterman, 239–244.
- Mites (Anthreni), ravages of, mentioned, 338.
- Mollia patellaria*, *Moll*, 236.
- Mollusca, mentioned, 12.
- Molpadia coriacea*, *Hutton*, 108.
coriacea, *Lampert*, 108.
- Morley*, Claude: Observations on the Economy of the Ichneumon manifestator, *Marsham* (nec *Linn.*): An Historical Note, 271–274.
- Mucronella canalifera*, *Busk*, mentioned, 305.
- Mülleria parvula*, *Haacke*, 98.
- Mutillas and Ants, Mimicry by Spiders, 258.
- Myriozoum, *Dana*, mentioned, 127.
 subgracile, *Orb.*, mentioned, 127, 133.
- Myrmarachne, *MacL.*, mentioned, 263.
 formicaria, mentioned, 263.
 plataloides, *O. P. Camb.*, 270; mentioned, 263.
 providens, closely resembles *Sima rufo-nigra* (*Jerd.*) *Mayr*, mentioned, 259, 263.
- Myrmecium, *Goldf.*, mentioned, 261.
 nigrum, *Perty*, 270; mentioned, 261.
- Myrmecophaga, *Linn.*, mentioned, footnote 265.
- Myruice, *Latreille*, mentioned, 263.
- Nassa limata*, *Chemnitz*, mentioned, 307.
- Nauphoëta*, *Burm.*, mentioned, 337.
- Nebela barbata*, *Leidy*, mentioned, 365.
 bohémica, *Taránek*, 365; mentioned, 361.
 carinata (*Archer*), *Leidy*, mentioned, 361.
 collaris (*Ehrenb.*), *Leidy*, mentioned, 360, 361, 365.
 dentistoma, *Penard*, mentioned, 362.
 flabellulum, *Leidy*, mentioned, 362.
 lageniformis, *Penard*, mentioned, 365.
 marginata, *Penard*, mentioned, 361.
 militaris, *Penard*, 365; mentioned, 361, 368.
 — var. tubulata,* *Brown*, 365; mentioned, 361, 368.
- Nebelina*, 361.
- Neoceratocheilus*,* *Wesché*, 356; mentioned, 359.
Grahami,* *Wesché*, 357; mentioned, 359, 360.
- Neopallene*, *A. Dohrn*, 206.
 campanellæ, *A. Dohrn*, 206.
- Nephtyidae*, 185.
- New Zealand, Unrecorded Acari from, by A. D. Michael, 135–149.
- Nodosaria*, *Lamarck*, 411.
 calomorpha, *Reuss*, 411; mentioned, 440.
 (*Dentalina*) communis, *Orb.*, 412; mentioned, 440.
 (—) consobrina, *Orb.*, 412; mentioned, 394, 440.
 (—) filiformis, *Orb.*, 412; mentioned, 394, 440.
 (—) mucronata, *Neugeboren*, 412; mentioned, 441.
- Nonionina*, *Orb.*, 424.
 depressula, *Walker & Jacob*, 424; mentioned, 394, 425, 441.
 pompilioides, *Fichtel & Moll*, 425; mentioned, 394, 441.
 umbilicatula, *Montagu*, 425; mentioned, 394, 441.
- Norman*, Canon A. M.: The Podosomata (= Pycnogonida) of the Temperate Atlantic and Arctic Oceans, 198–238.
 —, The Polyzoa of Madeira and neighbouring Islands, 275–314.
- Notaspis*, *Herm.*, 137.

- Notaspis caudata*,* *Michael*, 139, 149.
spinulosa,* *Michael*, 137 ; mentioned,
 135, 148.
- Nothrus*, *Koch*, 142.
cophinarius,* *Michael*, 142 ; men-
 tioned, 135, 144, 149.
unquifera,* *Michael*, 144.
- Nummulinidæ*, 390, 424.
- Nursehound, mentioned, 88.
- Nyctibora*, *Burm.*, larval form of, men-
 tioned, 336, 337, 338.
succinea,* *R. Shelford*, 350.
- Nyctiborinæ*, 338, 350.
- Nymphon*, *Fabricius*, 208 ; mentioned, 204,
 232.
abyssorum, *Norman*, 221.
armatum, *Hoek*, 210.
brevicollum, *Hoek*, 215.
brevirostre, *Hodge*, 209 ; mentioned,
 238.
brevitarse, *Kröyer*, 211.
brevitarse, *Meinert*, 211.
brevitarse, *G. O. Sars*, 211.
elegans, *Hansen*, 215.
elegans, *Carpenter*, 215.
elegans, *Meinert*, 215.
elegans, *G. O. Sars*, 215.
femoratum, *Rathke*, mentioned, 232.
femoratum, *Leach*, 217.
gallicum, *Hoek*, 217.
giganteum, *Goodsir*, 214.
glaciale, *Lilljeborg*, 211 ; mentioned,
 212.
glaciale, *G. O. Sars*, 211.
gracile, *Leach*, 217 ; mentioned, 212.
gracile, *Hansen*, 208.
gracile, *Hoek*, 208.
gracile, *Johnston*, 208.
gracile, *H. Milne-Edw.*, 217.
gracile, *Sars*, 209 ; mentioned, 210.
gracilipes, *Heller*, 214.
gracilipes, *G. O. Sars*, 214, 215.
grønlandicum, *Meinert*, 213.
grossipes, *Fabr.*, 211.
grossipes, *Abildgaard*, mentioned, 214.
grossipes, *Hansen*, 211.
grossipes, *Hoek*, 210, 211.
grossipes, *Kröyer*, 211.
grossipes, *G. O. Sars*, 211.
grossipes, *Wilson*, 211.
hians, *Heller*, 221.
- Nymphon hirtipes*, *Sars*, mentioned,
 220.
hirtum, *O. Fabr.*, 218.
hirtum, *Hansen*, 218.
hirtum, *Kröyer*, 218.
Hoekii, *Meinert*, 217.
Johnstoni, *Goodsir*, 211.
leptocheles, *G. O. Sars*, 213 ; men-
 tioned, 206.
leptocheles, *Meinert*, 213.
leptocheles, *Norman*, 213.
longimanum, *G. O. Sars*, 217.
longimanum, *Lönnberg*, 217.
longitarse, *Kröyer*, 212.
longitarse, *Hansen*, 212.
longitarse, *Hoek*, 212.
longitarse, *G. O. Sars*, 212.
longitarse, *Wilson*, 212.
macronyx, *Hansen*, 220.
macronyx, *Hoek*, 220.
macronyx, *Meinert*, 220.
macronyx, *G. O. Sars*, 220 ; men-
 tioned, 221.
macrum, *Wilson*, 215 ; mentioned
 206.
macrum, *Hoek*, 215.
macrum, *Meinert*, 215.
macrum, *Norman*, 215.
macrum, *G. O. Sars*, 215.
megalops, *G. O. Sars*, 218.
megalops, *Meinert*, 218.
micronyx, *G. O. Sars*, 217.
microrhynchum, *G. O. Sars*, 212.
minutum, *Goodsir*, mentioned, 234.
mixtum, *Kröyer*, 210 ; mentioned, 211,
 212.
mixtum, *Hansen*, 210.
mixtum, *G. O. Sars*, 210.
pallenoides, *Sars*, 218.
pallenoides, *Wilson*, 218.
parasiticum, *Martens*, 218.
pellucidum, *Goodsir*, mentioned, 234.
piliferum, *Carpenter*, 212.
robustum, *T. Bell*, 221.
robustum, *Hansen*, 221.
robustum, *Hoek*, 221.
robustum, *G. O. Sars*, 221.
rubrum, *Hodge*, 208 ; mentioned, 209,
 212, 217, 238.
 — var. *intermedium*, *Schimkewitsch*,
 208.

- Nymphon rubrum*, var. *perplexa*,* *Norman*, 209.
rubrum, G. O. Sars, 208.
Sarsii, *Meinert*, 216.
serratum, G. O. Sars, 218.
serratum, Hansen, 218.
serratum, Hoek, 218.
serratum, *Meinert*, 218.
similis, *Goodsir*, mentioned, 234.
Sluiteri, *Hoek*, 213.
Sluiteri, Hansen, 213.
Sluiteri, G. O. Sars, 213.
spinosum, *Goodsir*, 218; mentioned, 219.
spinosum, *Meinert* (nec *Goodsir*), 219.
spinosum, Sars, mentioned, 220.
stenocheir,* *Norman*, 216; mentioned, 238.
Strömii, *Kröyer*, 214; mentioned, 217.
Strömii, *Adlerz*, 214.
Strömei, Hansen, 214.
Strömei, *Hoek*, 214.
Strömii, G. O. Sars, 214.
Strömii, *Wilson*, 214.
tenellum, *Meinert*, 220.
- Nymphonidæ, 208.
- Obisiidæ, mentioned, 82.
 Obisiinæ, mentioned, 82.
Obisium lubricum, *Simon*, 81.
Odynerus, *Latr.*, mentioned, 268.
murarius, *Linn.*, mentioned, footnote 272.
- Oecophylla smaragdina (*Fabr.*) *Smith*, (red spinning ant) mimicked by spiders, mentioned, 262, 263, 266.
- Oiceobathys arachne, *Hesse*, mentioned, 234.
- Olpium birmanicum, *With*, mentioned, 72, 74.
brevifemoratum, *Balzan*, mentioned, 75.
brevipes,* *With*, 73, 84.
cordimanum, *Balzan*, 72; mentioned, 73, 74.
furciferum, *Balzan*, 73.
longiventer, *Keyserling*, 77; mentioned, 79, 80.
pacificum,* *With*, 75, 85.
- Omus, *Eschsch.*, mentioned, 169, 181.
- Onchopora borealis*, *Busk*, 298.
granulosa, *Haswell*, mentioned, 132.
immersa, *Haswell*, mentioned, 132.
ventricosa, *Haswell*, mentioned, 132.
- Onchoporella*, *Busk*, mentioned, 294.
ligulata, *Busk*, 294.
- Oniscus cuspidatus*, *Lepechin*, mentioned, 192.
- Onychocella angulosa*, *Reuss*, 293; mentioned, 288, 297, 313.
antiqua, *J. Jullien*, 294.
Marioni, *J. Jullien*, 294.
- Oolina fasciata*, *Egger*, 409.
- Omerus stigmatophorus*, *Hesse*, mentioned, 234.
- Operculina involvens*, *Reuss*, 22.
- Ophthalmidium*, *Kübler*, 398.
inconstans, *Brady*, 398.
- Orbis foliaceus*, *Philippi*, 24.
- Orbitolites*, *Lamarck*, 399.
complanata, *Lamarck*, 399; mentioned, 393.
marginalis, *Lamarck*, 399.
- Orbulina*, *Orb.*, 418.
universa, *Orb.*, 418; mentioned, 389, 390, 391, 395, 441.
- Oribata*, *Oken*, 136.
Bostocki,* *Michael*, 136; mentioned, 135, 148.
gilvipes, *C. L. Koch*, mentioned, 135, footnote 137.
- Oribatidæ*, 136.
- Orthoptera*, larvæ of, mimic ants, mentioned, 264.
- Orycteropus*, *Geoffr.*, mentioned, 265.
- Ostracoda*, mentioned, 12.
- Ostrea cochlear*, *De Noronha*, mentioned, 282, 293, 299.
- Pachycondyla*, *Smith*, mentioned, 262.
villosa, (*Fabr.*) *Mayr*, mentioned, 261, 262.
- Pachydactylus maculatus*, *A. Smith*. Note on the Vitality of the Tail of a South-African Gecko, by Dr. G. B. Longstaff, 48.
- Pallene*, *Johnston*, 204.
acus, *Meinert*, 205.
brevirostris, *Johnston*, 204; mentioned, 205.

- Pallene brevisrostris*, Grube, 204.
brevisrostris, Hansen, 204.
brevisrostris, Hoek, 204.
brevisrostris, Milne-Edw., mentioned, 232.
brevisrostris, Sars, 204.
circularis, Goodsir, 207.
discoidea, Kröyer, 207.
discoidea, Wilson, 207.
emaciata, Dohrn, 204.
empusa, Wilson, 204.
hastata, Meinert, 206.
hispida, Stimpson, 207.
hispida, Wilson, 207.
intermedia, Kröyer, 207.
malleolata, Hoek, 207.
phantopa, A. Dohrn, 205.
producta, G. O. Sars, 205.
producta, Carpenter, 205.
spinipes, Kröyer, 207.
spinipes, Sars, 207.
Tiberii, A. Dohrn, 205.
- Pallenidæ, 204, 231.
Pallenopsis, E. B. Wilson, 206.
Holti, Carpenter, 206.
longirostris, E. B. Wilson, 206.
plumipes, Meinert, 206.
tritoni, Hoek, 206.
- Parabœa spinipalpis*, Philippi, 224.
- Paramphithoe*, *Bruzelius*, mentioned, 191, 192.
- Paramphithoidæ, 191.
- Paranymphon*, *Caulley*, 222.
spinosum, *Caulley*, 222; mentioned, 238.
spinosum, Meinert, 222.
- Paraplectana*, *Brito Capello*, mentioned, 257.
coccinella, mentioned, 257.
 Oriental species of the genus of, mimicking in Borneo the Coccinellid *Caria dilatata*, *Fabr.*, mentioned, 257.
thorntoni, *Blackw.*, 270; mentioned, 257, mimics Coccinellid (*Chilomenes lunata*, *Fabr.*), mentioned, 257.
 12-maculata, mentioned, 257.
walleri, *Blackw.*, 270; mentioned, 257.
- Paritoca spinipalpis*, *Philippi*, mentioned, 234
- Pasithea eburnea*, *Smitt*, 283.
- Pasithea umbonata*, Gould, 226.
vesiculosa, *Goodsir*, mentioned, 234.
- Patellina*, *Williamson*, 419.
corrugata, *Williamson*, 419; mentioned, 392, 441.
- Patience, Alexander, On a new British Terrestrial Isopod, 42-44.
- Paulinella chromatophora*, *Lauterb.*, 367; mentioned, 360, 362, 368.
- Peckhamia picata*, *Hentz*, imitates ants in general, mentioned, 259, 263, 265.
- Pectunculus*, *Lamarck*, shell of, mentioned, 304.
- Pelopæus, *Latr.*, mentioned, 267.
- Peneclausa*, *J. Jullien*, mentioned, 293.
- Peneroplidinæ, 22.
- Pentadactyla longidentata*, Hutton, 101.
- Pepredo hirsuto*, *Goodsir*, mentioned, 234.
- Periplaneta*, *Burm.*, mentioned, 336, 337.
succinica,* *R. Shelford*, 251.
- Phalangidæ, mentioned, fnote 268.
- Phalangium cornutum*, mentioned, fnote 268.
marinum, *Ström*, mentioned, 214.
spinosum, *Montagu*, 231; mentioned, 232, 233.
- Phanodemus collaris*, *O. G. Costa*, mentioned, 234.
horribus, *O. G. Costa*, mentioned, 234.
inermis, *O. G. Costa*, mentioned, 234.
- Phoxichilidæ, 231.
- Phoxichilidiidæ, 201.
- Phoxichilidium*, *H. Milne-Edwards*, 201.
angulatum, Dohrn, 203.
coccineum, *Johnston*, mentioned, 235.
coccineum, Hodge, 201.
cheliferum, *Claparède*, mentioned, 234.
exiguum, Dohrn, 202.
femoratum, *J. Rathke*, 201; mentioned, 199.
globosum, *Goodsir*, 201.
longicolle, Dohrn, 202.
longicolle, Schimkewitsch, 202.
maxillare, S. I. Smith (nec Stimpson), 204.
maxillare, Stimpson, 201, 202.
maxillare, Wilson, 201, 202.
minor, *Wilson*, mentioned, 202.
mutilatum, *Semper*, 202.
olivaceum, *P. H. Gosse*, mentioned, 234.

- Phoxichilidium petiolatum*, Kröyer, 202.
pygmaeum, Hoek, 202.
robustum, Dohrn, 203.
virescens, Hodge, 203.
- Phoxichilus*, *Latreille*, 207; mentioned, 231, 232.
charabdaeus, Dohrn, 233.
charabdaeus, Schimkewitsch, 233.
circularis, *Goodsii*, 207
inermis, Hesse, 233.
laevis, Carpenter, 233.
laevis, Grube, 233.
monodactylus, *Montagu*, mentioned, 232.
proboscideus, Sabine, 228; mentioned, 232.
spinipes, *Fabr.*, 207; mentioned, 232.
spinosus, Carpenter, 233.
spinosus, Hoek, 233.
spinosus, Johnston, 233.
spinosus, Kröyer, 233.
spinosus, *Montagu*, mentioned, 232.¹
spinosus, Quatrefages, 233.
spinosus, Sars, 233.
vulgaris, Dohrn, 233.
- Phylactella collaris*, *Norman*, 309.
labrosa, *Busk*, 308; mentioned, 313.
punctigera, *Waters*, 308.
- Phylldromia*, *Serv.*, mentioned, 336, 337, 339, 345, 347.
antiqua,* *R. Shelford*, 344; mentioned, 347, 354, 355.
baltica,* *R. Shelford*, 346; mentioned, 347, 348, 355.
furcifera,* *R. Shelford*, 346; mentioned, 347, 355.
germanica, 46; mentioned, ftnote 337.
germari,* *R. Shelford*, 343; mentioned, 347, 354, 355.
klebsi,* *R. Shelford*, 345; mentioned, 347, 355.
latissima,* *R. Shelford*, 344; mentioned, 347, 354.
lorenz-meyeri,* *R. Shelford*, 342; mentioned, 347, 353, 354, 355.
pristina,* *R. Shelford*, 347; mentioned, 355.
sp., 353.
tenacula,* *R. Shelford*, 345; mentioned, 347, 354.
- Phylldromia yolanda*,* *R. Shelford*, 343; mentioned, 347, 354.
- Phylldromiinae*, 340, 353.
- Phyllophorus anatinus*, *R. Perrier*, 101; mentioned, 95, 102, 103.
caudatus, *Ludwig*, 101.
dearmatus,* *Dendy & Hindle*, 103; mentioned, 95, 102, 104, 106, 107, 108, 123, 124.
Drummondii, *Thompson*, 106.
longidentis, *Hutton*, 101; mentioned, 95, 103, 124.
longidentis, *Dendy*, 101.
longidentis, *Ludwig*, 10
rugosus, *Ludwig*, 101.
- Physapus*, *De Geer*, mentioned, 371.
- Pimpla*, *Fabr.*, mentioned, 274.
caudata, *Ratz.*, mentioned, ftnote 274.
manifestator, *Garv.*, mentioned, ftnote 272.
- Pimplinae*, mentioned, 272.
- Placocysta spinosa* (*Carter*), *Leidy*, 366; mentioned, 362.
- Planispirina*, *Sequenza*, 21, 399; mentioned, 16.
celata, *Costa*, 21; mentioned, 398.
exigua, *Brady*, 21, 34.
sigmoidea, *Brady*, 20.
sphaera, *Orb.*, 399.
- Planorbulina*, *Orb.*, 419.
mediterraneensis, *Orb.*, 419; mentioned, 394.
- Platychelus sardonius*, *O. G. Costa*, mentioned, 234.
- Platyphora Lubbocki*, *Verral*, mentioned, 152.
- Plecanium rugosum*, *Reuss*, 27.
- Plectronia Halli*, mentioned, 12.
- Pleuronectidae*, 243.
- Pleuronectes flexus*, *Linn.*, mentioned, 241.
limanda, *Linn.*, mentioned, 241.
- Pleurostomella*, *Reuss*, 405.
alternans, *Schwager*, 405; mentioned, 440.
subnodosa, *Reuss*, 405; mentioned, 440
- Plumatella coralloides*, *Allman*, mentioned 248.
fruticosa, *Allman*, mentioned, 248.
repens, *Linn.*, mentioned, 248.
- Pocock*, *R. I.*, Mimicry in Spiders, 256-270.
- Podocopa*, 426.

- Podosomata (=Pycnogonida) of the Temperate Atlantic and Arctic Oceans, by Canon A. M. Norman, 198-238.
- Pœcilopachys bispinosa*, *O. Pickard Cambridge*, abdomen of, presents a reptile's head, mentioned, 269.
- Polistes*, *Scudder*, mentioned, 266.
- Polymorphina*, *Orb.*, 413; mentioned, 389.
angusta, *Egger*, 413; mentioned, 395, 441.
lactea, *Walker & Jacob*, 413; mentioned, 441, 444.
 — var. *oblonga*, *Williamson*, 413; mentioned, 444.
lanceolata, *Reuss*, 413; mentioned, 441.
longicollis, *Brady*, 414; mentioned, 391, 441.
ovata, *Orb.*, 413.
seguenzana, *Brady*, 413; mentioned, 392, 441.
sororia, *Reuss*, 413; mentioned, 441.
- Polymorphinæ*, mentioned, 389.
- Polyphaga*, *Brullé*, larval form of, mentioned, 336.
fossilis,* *R. Shelford*, 351; mentioned, 355.
- Polysphincta*, *Grav.*, mentioned, 267.
- Polystomella*, *Lamarck*, 425.
crispa, *Lim.*, 425; mentioned, 394, 441.
striatopunctata, *Fichtel & Moll*, 425.
- Polytrema*, *Risso*, 424.
miniaceum, *Pallas*, 424; mentioned, 279, 392, 439.
- Polyzoa*, mentioned, 12.
- Polyzoa* of Madeira and neighbouring Islands, by Canon A. M. Norman, 275-314.
- Polyzosteria*, *Burm.*, mentioned, 353.
parvula, *Ber.*, mentioned, 353.
tricuspidata, *Germ. & Ber.*, 353.
- Pompilidæ*, 257, 267, 268.
- Pompilus*, *Fabr.*, mentioned, 267.
biguttatus, *Fabr.*, mentioned, 266.
fuscipennis, *Lind.*, mentioned, 266.
- Pontigulasia bigibbosa*, *Penard*, mentioned, 365.
compressa (*Carter*), *Cash*, 364; mentioned, 361, 365.
 — var. *bigibbosa*, *Penard*, mentioned, 365.
spectabilis, *Penard*, mentioned, 364.
- Pontigulasia* var. (*Leidy*), *Schout.*, 364; mentioned, 361.
- Pontocypris*, *G. O. Sars*, 426; mentioned, 389, 390, 391.
attenuata, *G. S. Brady*, 427.
dauidiana,* *Chapman*, 427; mentioned, 390, 439, 444.
faba, *Reuss*, 427.
gracilis, *G. S. Brady*, 427.
sicula, *G. S. Brady*, mentioned, 427.
trigonella, *G. O. Sars*, 426.
- Porcellio dilatatus*, *Brandt*, mentioned, footnote 43.
- Porella concinna*, *Busk*, 299.
lævis, *Fleming*, mentioned, 300.
 — var. *gymnonoton*, *Norman*, mentioned, 300.
minuta, *Norman*, var. *punctata*, *Waters*, 299.
nitidissima, *Hincks*, 301.
torquata, *J. Calvet*, 300; mentioned, 313.
tubulata, *Busk*, 299; mentioned, 313.
- Porina*, *Orb.*, mentioned, 126.
borealis, *Hincks*, 298.
coronata, *Reuss*, mentioned, 126.
magnirostris, *MacG.*, mentioned, 126.
papillosa, *Reuss*, mentioned, 126.
- Portlandia messanensis*, *Seguenza*, mentioned, 276.
- Poulton*, Edward B., and Longstaff, G. B., A few Notes on South African Chamæleons, &c., 45-48.
- Preservation of Specimens in Australian Museums, by J. G. Otto Tepper, 155.
- Prosthesima albomaculata*, *O. Pickard Cambridge*, mentioned, 261.
- Psellocoptus*, *Simon*, mentioned, 262.
- Pseudobisiinæ*, mentioned, 82.
- Pseudocucumis bicolumnatus*, *Dendy & Hindle*,* 106; mentioned, 95, 108, 123.
intercedens, *Lampert*, mentioned, 108.
- Pseudocythere*, *G. O. Sars*, 438.
caudata, *G. O. Sars*, 438.
fuegiensis, *Brady*, mentioned, 438.
funafutiensis,* *Chapman*, 438; mentioned, 390, 439, 444.
- Pseudodiastylis ferox*, *Calman*, mentioned, 223.
- Pseudomyrmex*, mentioned, 264.

- Pseudopallene, *Wilson*, 207; mentioned, 231.
circularis, *Goodsir*, mentioned, 231.
circularis, *Sars*, 207.
intermedia, *Hansen*, 207.
spinipes, *O. Fabr.*, mentioned, 231.
- Psileschara *maderensis*, *Busk*, 301.
- Psylla, *Geoffr.*, mentioned, 5-9.
- Psyllidæ, mentioned, 5.
- Ptychoptera, *Meigen*, mentioned, 356.
- Ptychopterinae, mentioned, 356.
- Pulex, *Linn.*, mentioned, 152.
- Puliciphora, *Dahl*, mentioned, 152.
lucifera, *Dahl*, mentioned, 152.
- Puliciphoridæ, 152.
- Pullenia, *Parker & Jones*, 418; mentioned, 393.
obliquiloculata, *Parker & Jones*, 418; mentioned, 389-395, 441.
quinqueloba, *Reuss*, 418; mentioned, 394, 441.
sphaeroides, *Orb.*, 418; mentioned, 441.
- Pulsellum quinquangulare, *Forbes*, mentioned, 276.
- Pulvinulina, *Parker & Jones*, 421; mentioned, 391, 392, 393.
canariensis, *Orb.*, 422; mentioned, 390, 441.
crassa, *Orb.*, 422; mentioned, 390, 391, 441.
elegans, *Orb.*, 421; mentioned, 441.
exigua, *Brady*, 422; mentioned, 389, 441.
favus, *Brady*, 423; mentioned, 389, 394, 441, 444.
hauerii, *Orb.*, 423; mentioned, 391, 441.
menardii, *Orb.*, 422; mentioned, 389-392, 395, 441.
— var. *fimbriata*, *Brady*, 422; mentioned, 441.
patagonica, *Orb.*, 422; mentioned, 390, 391, 441.
pauperata, *Parker & Jones*, 423; mentioned, 441.
repanda, *Fichtel & Moll*, 422.
tumida, *Brady*, 422; mentioned, 389-392, 395, 441.
truncatulinoïdes, *Orb.*, 423; mentioned, 390, 392, 441.
- Pustulipora *clavata*, *Busk*, 281.
gracilis, *M. Sars*, 298.
proboscidea, *H. Milne-Edw.*, 280.
subverticillata, *Busk*, mentioned, 281.
- Pycnogonida (= Podosomata) of the Temperate Atlantic and Arctic Oceans, by *Canon A. M. Norman*, 138-238.
- Pycnogonidæ, 230.
- Pycnogonum, *Brünnich*, 230; mentioned, 198.
bakenarum, *Linn.*, 230.
crassirostre, *G. O. Sars*, 230.
crassirostre, *Meinert*, 230.
crassirostre, *Norman*, 230.
grossipes, *Fabr.*, mentioned, 214.
littorale, *Ström*, 230.
littorale, *G. O. Sars*, 230.
nodulosum, *Dohrn*, 231.
pelagicum, *Stimpson*, 230.
pusillum, *Dohrn*, 230.
spinipes, *Fabr.*, 207; mentioned, 231, 232.
- Pyrgo laevis*, *Defrance*, 14.
- Quadricellaria *gracilis*, *M. Sars*, 298.
gracilis, *Alder*, 298.
- Quadrula *symmetrica* (*Wallich*), *Schulze*, mentioned, 360, 362.
- Quinqueloculina, *Orb.*, mentioned, 19.
agglutinans, *Orb.*, 20.
auberiana, *Orb.*, 18, 397.
contorta, *Orb.*, 19.
cuvieriana, *Orb.*, 19.
ferussacii, *Orb.*, 19.
polygona, *Orb.*, 18.
triangularis, *Orb.*, 18.
vulgaris, *Orb.*, 18, 397.
venusta, *Karrer*, 20.
- Radiolaria, mentioned, 389.
- Radiopora *irregularis*, *J. Y. Johnson*, 282.
pusulosa, *Waters*, 282.
- Raja *batis*, *Linn.*, mentioned, 88.
- Reophax, *Montfort*, 400.
adunca, *Brady*, 400; mentioned, 391.
dentaliniformis, *Brady*, 400.
diffugiformis, *Brady*, 400.
— var. *lagenarium*, *Berthelin*, 400.
nodulosa, *Brady*, 400, 440.

- Reptadeonella violacea, *Johnston*, 296.
 violacea, *Busk*, 296.
- Retepora arborea, *J. Jullien*, 301.
 Couchii, *Hincks*, 301.
 — var. *biaviculata*, *Waters*, 301.
 Julienni, *Calvet*, 301.
 mediterranea, *Smitt*, 301.
 Solanderia, *Risso*, mentioned, 301.
 Solanderia, *Calvet*, 301.
 Solanderia, *Waters*, 301.
- Rhabdammininæ, 24.
- Rhabdogonium, *Reuss*, 412.
 minutum, *Reuss*, 412; mentioned,
 392, 441.
- Rhabdomolgus, *Keferstein*, mentioned,
 113, 121.
 novæ-zealandiæ,* *Dendy & Hindle*,
 113; mentioned, 95, 117, 122, 123,
 125.
 ruber, *Keferstein*, mentioned, 96,
 fnote 114, 122.
- Rhachotropis, *S. I. Smith*, 194.
 aculeata, *Lepechin*, mentioned, 196.
 gracilis, *Bonnier*, mentioned, 194.
 Grimaldii, *Chevreur*, mentioned, 194.
 Helleri, *Boeck*, mentioned, 195.
 Kergueleni, *Stebbing*, mentioned, 194.
 palporum,* *Stebbing*, 194, 197.
- Rhene, *Thorell*, mentioned, 257.
- Rhina squatina, *Linn.*, mentioned, 89.
- Rhipicephalus phthiroides,* sp. n. Note
 on a new South African Tick, by
 W. F. Cooper and L. E. Robinson,
 35-38.
 phthiroides,* *Cooper & Robinson*, 36,
 37.
- Rhizammina, *Brady*, 400.
 algæformis, *Brady*, 400; mentioned,
 391.
- Rhizopods, Freshwater, from the English
 Lake District, by *Jas. M. Brown*, 360-
 368.
- Rhopalastrum, *Ehrenb.*, mentioned, 389,
 390.
- Rhynchothora, *O. G. Costa*, 226.
 dispinosa, *Johnston*, 301.
 mediterraneus, *O. G. Costa*, 226.
 mediterraneus, *A. Dohrn*, 226.
- Robinson, L. E., and Cooper, W. F., Note
 on a new South African Tick, *Rhipi-*
 cephalus phthiroides, sp. n., 35-38.
- Roncus *Cambridgei*, *L. Koch*, 81.
 lubricus, *L. Koch*, mentioned, 81.
- Rosseliana Rosselii, *Audouin*, 288.
 Rosselii, *Jullien*, 288.
- Rotalia, *Lamarck*, 423.
 broeckhiana, *Karrer*, 423; mentioned,
 390, 391, 441.
 dentata, *Parker & Jones*, 424; men-
 tioned, 444.
 orbicularis, *Orb.*, 424; mentioned,
 441.
 soldanii, *Orb.*, 423; mentioned, 394,
 441.
- Rotaliidæ, 390, 419.
- Sacchiphantes* (syn. of *Chermes*), 8.
- Sagraia, *Orb.*, 415.
 bifrons, *Brady*, 415; mentioned, 394,
 441.
 raphanus, *Parker & Jones*, 415; men-
 tioned, 393, 441.
 virgula, *Brady*, 415; mentioned, 441.
- Salticidæ, mentioned, 257, 263; from
 South America, mentioned, 264; some
 of the, imitate crawling flies, mentioned,
 270.
- Sand-Sole (*Solea lascaris*, *Linn.*), men-
 tioned, 242.
- Sarinda, *Peckham*, mentioned, 263.
- Scaerhynchus, *Wilson*, 228.
 armatus, *Wilson*, 228.
- Schizoneura, *Hartig*, mentioned, 8.
- Schizoporella armata, *Hincks*, 303; men-
 tioned, 313.
 auriculata, *Hassall*, 303.
 — var. *ochracea*, *Hincks*, mentioned,
 303.
- Barleei, *Busk*, mentioned, 309.
 — var. *Alderi*, *Busk*, mentioned, 309.
- biaperta, *Michelin* 303.
 — var. *divergens*, *Smitt*, 303; men-
 tioned, 313.
 — var. *divergens*, *Hincks*, 303.
- discoidea, *Busk*, 303.
- Johnstoni*, *Quelch*, 302.
- linearis, *Hassall*, mentioned, 303.
- Noronhai,* *Norman*, 303; mentioned,
 314.
- pes-anseris*, *Waters*, 302.
- Richardi, *Jullien & Calvet*, mentioned,
 304.

- Schizoporella sanguinea*, *Norman*, 303.
Schmitzi,* *Norman*, 304; mentioned, 313.
simplex, *Hincks*, 302.
unicornis, *Johnston*, 303.
venusta, *Hincks*, 299.
- Scolopendrella*, *Gerv.*, mentioned, 255.
brevipes, *Hansen*, from Asia and Koh Chang, mentioned, 255.
simplex, *Hansen*, from Asia and Koh Chang, mentioned, 255.
- Scrupocellaria*, *Gray*, mentioned, 283.
aquitonica, *Jullien & Calvet*, 283.
capreolus, *Heller*, 283.
Delilii, *Audouin*, 284.
Delilii, *Busk*, 284.
diaphana, *Busk*, 296.
hirsuta, *Jullien & Calvet*, 284.
incurvata, *Waters*, 283.
Macandrei, *Busk*, 284.
maderensis, *Busk*, 284.
reptans, *Linn.*, 283.
 — var. *Bertholletii*, *Audouin*, 283; mentioned, 312.
scrupea, *Busk*, mentioned, 284.
scruposa, *Linn.*, 283.
- Scutigera*, *Ryder*, 252.
caldaria, *Hansen*, mentioned, 254.
crassicornis, *Hansen*, from Koh Chang, mentioned, 255.
orientalis, *Hansen*, from Bangkok, mentioned, 254.
pauperata, *Hansen*, from Koh Chang, mentioned, 255.
plebeia, *Hansen*, from Mauritius, mentioned, 255.
subunguiculata,* *Imms*, 252; mentioned, 254, 255.
unguiculata, *Hansen*, mentioned, 252, 254.
- Scyllium canicula*, *Cuv.*, mentioned, 86, 88.
catulus, *Cuv.*, mentioned, 88.
- Scytodidae*, 269.
- Seabrookia*, *Brady*, 406.
pellucida, *Brady*, 406.
- Semora*, *Peckham*, mentioned, 264.
Semorina, *Simon*, mentioned, 264.
Seothyra, *Purcell*, mentioned, 260.
schreineri, *Purcell*, imitating small vicious ants, mentioned, 260, 261.
- Serpula semnulum*, *Linn.*, 19.
- Sesia cynipæformis*, *Ochs.*, mentioned, 273.
- Setosella vulnerata*, *Busk*, 294.
- Shelford*, R., *Ænigmatistes africanus*,* a new Genus and Species of Diptera, 150-155.
 —, On a Collection of Blattidæ preserved in Amber, from Russia, 336-355.
- Shelford*, V. E., Life-Histories and Larval Habits of the Tiger Beetles (Cicindelidæ), 157-184.
- Sicarius*, *Walker*, from South Africa, mentioned, 269.
- Sigmodota*, *Studer*, mentioned, 113.
- Sigmoilina*, *Schlumberger*, 20, 398; mentioned, 391.
celata, *Costa*, 21, 34.
schlumbergeri, *Silvestri*, 21, 398; mentioned, 34, 392, 440.
sigmoidea, *Brady*, 20, 398; mentioned, 34, 440.
- Sima rufo-nigra* (*Jerd.*), *Mayr*, mentioned, 259, 263.
- Simonella*, *Peckham*, mentioned, 264; resembles ant of Genus *Pseudomyrmex*, mentioned, 264.
- Siphonogorgia*, *Kölliker*, 189.
pustulosa, *Studer*, 189.
rotunda,* *Harrison*, 189.
- Siphonogorgiidae*, 187.
- Smittia Koehleri*, *L. Calvet*, 299.
- Smittina Landsborovii*, *Johnston*, 302.
marmorea, *Hincks*, 302.
trispinosa, *Johnston*, 302.
- Snails and Beetles, Mimicry by Spiders, 257.
- Sole*, On a Possible Case of Mimicry in the Common, by A. T. Masterman, 239-244.
- Solea*, *Klein*, mentioned, 242.
aurantiaca, *Günther*, mentioned, 243.
Impar, *Bennett*, mentioned, 243.
lascaris, *Bonaparte*, simulating death, mentioned, 241, 242, 243.
lutea, *Bonaparte*, mentioned, 242.
margaritifera, *Günther*, mentioned, 243.
melanochira, *Moreau*, mentioned, 243.
monochir, *Bonaparte*, of the Mediterranean, mentioned, 242.
variegata, *Donov.*, mentioned, 242.

- Solea vulgaris*, *Quensel*, mentioned, 240, 242, 243.
- Soleidæ, 243.
- Solenocaulon, *Gray*, 189.
 ramosa, *Hickson*, 190.
 tortuosum, *Gray*, 189.
- Solenysa, *Simon*, mentioned, 260.
- Spartocerus rudis, *Fabr.*, mentioned, 47.
- Sphæroidina, *Orb.*, 418, mentioned, 391, 393.
 bulloides, *Orb.*, 418; mentioned, 441.
 dehiscens, *Parker & Jones*, 418; mentioned, 390-393, 395, 441.
- Sphæcotypus niger, *Perty*, mentioned, 262, 270.
- Sphenoderia lenta, *Schlumb.*, mentioned, 362.
- Sphex cyanea, *Brullé*, mentioned, 266.
- Spiders, Ant Mimicry in, explanation of (*Pocock*), 264-268.
 ——— mimic red spinning Ants, mentioned, 266.
 ——— mimicry in, by R. I. *Pocock*, 256-270.
 ——— ——— doubtful cases of (*Pocock*), 268.
- Spirillina, *Ehrenb.*, 419.
 decorata, *Brady*, 419.
 — var. *unilatera*, *Chapman*, 419; mentioned, 392.
 obconica, *Brady*, 419; mentioned, 392.
- Spiroloculina, *Orb.*, 16, 396.
 acutimargo, *Brady*, 16, 396; mentioned, 34.
 affixa, *Terquem*, 16, 34.
 asperula, *Karrer*, 16, 34.
 canaliculata, *Orb.*, 16, 34.
 dorsata, *Reuss*, 396.
 excavata, *Orb.*, 396.
 inæquilateralis, *Schlumberger*, 16.
 robusta, *Brady*, 396.
 tenuis, *Czjzek*, 396; mentioned, 392, 440.
- Spiroplecta, *Ehrenb.*, 27, 402.
 americana, *Ehrenb.*, 402; mentioned, 440.
 carinata, *Orb.*, 27; mentioned, 28, 34.
 nussdorfensis, *Orb.*, 28, 34.
 sagittula, *Defrance*, 27, 402; mentioned, 34.
 — var. *fistulosa*, *Brady*, 27, 34.
- Spongostylum anale, *Say*, mentioned, 166.
- Sponges, Freshwater, On some, collected in Scotland, by N. *Annandale*, 244-250.
- Spongilla, *Lam.*, mentioned, 247.
 alba, *Carter*, mentioned, 245.
 Carteri, *Bowerb.*, mentioned, 41, 245, 248.
 cerebellata, *Bowerb.*, mentioned, ftnote 245.
 crassissima, *Annandale*, mentioned, 248.
 fragilis, *Leidy*, mentioned 245.
 lacustris, *Annandale*, 245; mentioned, 247, 248, 249, 250.
 — var. *abortiva*, *Bowerb.*, mentioned, 248.
 — var. *multiforis*, *Annandale*, mentioned, 245.
 lacustris, *Donati*, mentioned, ftnote 41, 245-250.
 prolifera, *Annandale*, mentioned, 245, 248.
 reticulata, *Annandale*, mentioned, 245, 248.
- Spongodes, *Lesson*, 185.
 biformata,* *Harrison*, 186.
 Chimmoi,* *Harrison*, 186.
 elegans,* *Harrison*, 185.
 rubescens,* *Harrison*, 186.
 Thomsoni,* *Harrison*, 185.
- Stebbing, Rev. T. R. R., A Freshwater Isopod from Calcutta, 39-42.
 —, On two new Species of Northern Amphipoda, 191-197.
- Stethopathus ocellatus, *Wand.*, mentioned, 152.
- Stethopathidæ, mentioned, 152.
- Stomatopora granulata, *H. Milne-Edw.*, 278.
- Styliola, *Les.*, mentioned, 390, 392, 394.
 rangiana, mentioned, 12.
- Stylopyga, *Fischer*, mentioned, 346.
- Stichopus (?) *alba*, *Hutton*, 98.
 mollis, *Dendy*, 96; mentioned, 98.
 mollis, *Hutton*, 96; mentioned, 98, 123.
 mollis, *Ludwig*, 96.
 mollis, *R. Perrier*, 96.
 mollis, *Whitelegge*, 96.
 simulans,* *Dendy & Hindle*, 97; mentioned, 95, 123.
 sordidus, *Théel*, 96.

- Symphyla, On a new Species of, from the Himalayas, by A. D. Imms, 251-255.
- Synageles, *Simon*, mentioned, 264.
- Synapta, *Hamann*, mentioned, 118, 119, 120.
- Synemosyna read Synesmosyna, *Hentz*, mentioned, 264; resemble ants of Genus *Pseudomyrmex*, mentioned, 264.
- formica, *Hentz*, mimicking ants, mentioned, 259.
- Synesmosyna, *Hentz*, mentioned, 264; resemble ants of Genus *Pseudomyrmex*, mentioned, 264.
- formica, *Hentz*, mimicking ants, mentioned, 264.
- Tachæa, *Schiödte & Meinert*, 39.
- crassipes, *Schiödte & Meinert*, mentioned, 41.
- incerta, *H. J. Hansen*, mentioned, 41.
- spongillicola,* *Stebbing*, 40, 42.
- Tanystylum, *Miers*, 226.
- conirostre, *Dohrn*, mentioned, 235.
- conirostre, *Carpenter*, 226.
- Hoekianum*, *Schimkewitsch*, 226.
- orbiculare, *Wilson*, 226.
- Tegeocranus, *Nic.*, mentioned, 135.
- Temnopteryx, *Briun.*, mentioned, 336, 337.
- Klebsi,* *R. Shelford*, 349.
- Tepper, J. G. Otto, The Preservation of Specimens in Australian Museums, 155-156.
- Termitomyia, *Wasm.*, mentioned, 153.
- Termitoxenia, *Wasm.*, mentioned, 153.
- Tervia discreta, *J. Jullien*, mentioned, 280.
- Folini*, *J. Jullien*, 279.
- Folini*, *Calvet*, 280.
- irregularis, *J. Jullien*, mentioned, 280.
- solida, *J. Jullien*, mentioned, 280.
- superba, *J. Jullien*, 279.
- Tessarodoma boreale, *Busk*, 298; mentioned, 276, 313.
- boreale, *Smitt*, 298.
- gracile, *Norman*, 298.
- Tetracha Carolina, *Linn.*, mentioned, 171.
- Textularia, *DeFrance*, 25, 401; mentioned, 389.
- abbreviata, *Orb.*, 26, 34.
- agglutinans, *Orb.*, mentioned, 25.
- Textularia aspera*, *Brady*, 26.
- carinata*, *Orb.*, 27.
- var. *antipodum*, *Stache*, 27.
- var. *maorica* [var. *antipodum* im text], *Stache*, 27.
- concaeva, *Karrer*, 401; mentioned, 440.
- var. *heterostoma*, *Fornasini*, 401; mentioned, 440.
- gibbosa, *Orb.*, 25, 402; mentioned, 34.
- var. *tuberosa*, *Orb.*, 26, 35.
- gramen, *Orb.*, 25, 402; mentioned, 34, 440.
- heterostoma*, *Fornasini*, 401
- nussdorfensis, *Orb.*, 28.
- rugosa, *Reuss* sp., 27, 34.
- sagittula, *DeFrance*, 27.
- var. *fistulosa*, *Brady*, 27.
- siphonifera, *Brady*, 26, 34.
- tuberosa*, *Orb.*, 26.
- Textulariidae, 25, 390, 401.
- Textulariinae, 25.
- Thalamoporella Rozierii, *Aud.*, mentioned, 129.
- Thaumatoxena Wasmanni, *Breddin & Börner*, mentioned, 152, 153, 154.
- Andreinii, *Silvestri*, mentioned, 152.
- Theridiidae, mentioned, 260.
- Thickback (*Solea variegata*, *Linn.*), mentioned, 242.
- Thomisidae, mentioned, 262.
- Thrips, *Linn.*, mentioned, 371.
- Thyone brevidentis, *Hutton*, 99.
- brevidentis*, *Théel*, 99.
- caudata*, *Hutton*, 101.
- longidentis*, *Hutton*, 101.
- longidentis*, *Théel*, 101.
- Thyonidium anatinum, *R. Perrier*, 101.
- caudatum*, *Théel*, 101.
- rugosum*, *Théel*, 101.
- Thysanoptera, On two New Genera of, from Venezuela, *Anuctinotrips* and *Actinotrips*, by R. S. Bagnall, 329-335.
- , A Contribution towards a Knowledge of the Neotropical, by R. S. Bagnall, 369-387.
- Tiger Beetles (Cicindelidae), Life-Histories and Larval Habits of the, by V. E. Shelford, 157-184.

- Tinoporus, *Montfort*, 424.
 baculatus, *Montfort*, 424; mentioned, 392, 393.
- Tipulid, On the new, Subfamily Ceratocheilinae, by W. Wesché, 355-360.
- Titus lugens, *O. Pickard Cambridge*, mentioned, 261.
- Tortrix (Grapholitha) dorsana, *Ratz.*, mentioned, 274.
 (—) pactolana, *Zeller*, mentioned, 274.
- Trachinidæ, 239, 243.
- Trachinus, *Linn.*, mentioned, 244.
 draco, *Linn.*, mentioned, 239, 243.
 vipera, *Linn.*, mentioned, 239, 243.
- Trachynotus fimbriatipes,* *Michael*, 147, 149.
 sclerophyllus,* *Michael*, 135, 145, 148, 149.
- Tragæus, *A. Dohrn*, 225.
 communis, *A. Dohrn*, 226.
- Trichoniscidæ, 42.
- Trichoniscus, *Brandt*, 42.
 albidus, *Budde-Lund*, mentioned, 43.
 pusillus, *Brandt*, mentioned, 43.
 pygmæus, *G. O. Sars*, mentioned, 43.
 spinosus, *Patience*, mentioned, 44.
 Stebbingi,* *Patience*, 42, 44.
- Triloculina austriaca, *Orb.*, 17.
 circularis, *Bornemann*, 17.
 linnaeana, *Orb.*, 20.
 schreiberiana, *Orb.*, 17.
 tricarinata, *Orb.*, 18.
- Trinema, *Duj.*, mentioned, 360.
 enchelys (*Ehrenb.*), *Leidy*, mentioned, 360, 362, 366, 367.
 lineare, *Penard*, 366; mentioned, 362.
- Tritaxia, *Reuss*, 402.
 lepida, *Brady*, 402; mentioned, 392, 440.
 tricarinata, *Reuss*, mentioned, 30.
- Tritropis, *Boeck*, 194.
- Trochodota, *Ludwig*, mentioned, 111.
- Trochospongilla erinaceus, *Ehrenb.*, mentioned, 245.
 horrida (syn. of erinaceus), 245.
 latouchiana, *Annandale*, mentioned, 249.
 Leidyi, *Bowerb.*, mentioned, 249.
- Truncatulina, *Orb.*, 420; mentioned, 389, 391, 395.
- Truncatulina akneriana, *Orb.*, 420; mentioned, 394, 441.
 culter, *Parker & Jones*, 421; mentioned, 392.
 dutemplei, *Orb.*, 421; mentioned, 394, 441.
 haidingeri, *Orb.*, 420; mentioned, 394, 441.
 humilis, *Brady*, 420; mentioned, 441.
 lobatula, *Walker & Jacob*, 420.
 pygmæa, *Hantken*, 421; mentioned, 389, 392, 394, 441.
 refulgens, *Montfort*, 420; mentioned, 441.
 reticulata, *Czjzek.*, 421; mentioned, 441.
 tenera, *Brady*, 421; mentioned, 441.
 ungeriana, *Orb.*, 420; mentioned, 394, 441.
 variabilis, *Orb.*, 420.
 wuellerstorfi, *Schwager*, 420; mentioned, 441.
- Trypostega venusta, *Norman*, 299.
 venusta, *Levinsen*, 299.
- Trypoxylon, *Latreille*, mentioned, 267.
 albopilosum, *Fox*, mentioned, 267.
 bidentatum, *Fox*, mentioned, 267.
 rubrocinetum, *Packard*, mentioned, 267.
- Tubella pennsylvanica, *Potts*, 248; mentioned, 245, 249.
- Tubocellaria, read Tubucellaria, *Orb.*, mentioned, 293.
 opuntioides, *Calvet*, mentioned, 293.
- Tubucellaria, *Orb.*, its Species and Ovicells, by Arthur W. Waters, 126-133.
- Tubucellaria, *Orb.*, mentioned, 293.
 cæca, *Busk*, mentioned, 132.
 cereoides, *Ell. & Sol.*, 129; mentioned, 126, 127, 130, 131, 132, 133.
 — var. chuakensis,* *Waters*, 130, 132, 133.
 cereoides & var., *MacG.*, 129.
 clavata, *Orb.*, mentioned, 132.
 farnesinae, *Neviani*, mentioned, 132.
 fusiformis, *Orb.*, 131; mentioned, 126, 129, 130, 132, 133.
 fusiformis, *Busk*, 130.
 hirsuta, *Lamx.*, mentioned, 126, 131.
 marginata, *MacG.*, 132.
 opuntioides, *Calvet*, 129, 293.

- Tubucellaria zanzibariensis,* *Waters*, 131 :
 mentioned, 126, 127, 132.
 Tubulifera, 329.
 Tubulipora, *Lamarck*, mentioned, 277.
 aperta, *Harmer*, 278.
 deflexa, *Couch*, 281.
 druidica, *Busk*, 278.
- Uranoscopus scaber, *Linn.*, mentioned, 244.
 Uvigerina, *Orb.*, 414; mentioned, 389.
 aculeata, *Orb.*, 414; mentioned, 441.
 angulosa, *Williamson*, 414; mentioned,
 441.
 asperula, *Czjzek*, 415; mentioned, 441.
 — var. *ampullacea*, *Brady*, 415;
 mentioned, 441.
 canariensis, *Orb.*, 414; mentioned,
 441.
 interrupta, *Brady*, 415; mentioned,
 441.
 porrecta, *Brady*, 414; mentioned,
 441.
 pygmæa, *Orb.*, 414; mentioned, 441.
- Vacuna, *Heyd.*, mentioned, 8.
 Vaginulina, *Orb.*, 412.
 legumen, *Linn.*, 412; mentioned, 441.
 Vermiculum *oblongum*, *Montagu*, 17.
 Verneuilina, *Orb.*, 402.
 propinqua, *Brady*, 402.
 pygmæa, *Egger*, 402; mentioned, 394,
 440.
 spinulosa, *Reuss*, 402; mentioned,
 394.
 triquetra, *Münster*, mentioned, 28.
- Vincularia *fragilis*, *Michelin*, 129.
 Virgulina, *Orb.*, 31, 403.
 pertusa, *Reuss*, 403; mentioned, 439,
 440, 443.
 subdepressa, *Brady*, 31, 403; men-
 tioned, 35, 440.
 subsquamosa, *Egger*, 403; mentioned,
 440.
 texturata, *Brady*, 403; mentioned,
 392, 404, 440.
- Wandolleckia, *Cook*, mentioned, 152.
 Cooki, *Brues*, mentioned, 152.
- Waters, Arthur W., Tubucellaria: its
 Species and Ovicells, 126-133.
- Weever (Trachinidæ), mentioned, 239
 Greater, 239; Lesser, 239, 240.
- Wesché, W., On the new Tipulid Sub-
 family Ceratocheilinae, 355-360.
- Wilsmore, Leonora J., On some Zoantheæ
 from Queensland and the New Hebrides,
 315-328.
- With, C. J., On some New Species or
 Cheliferidæ, *Hansen*, and Garypidæ,
Hansen, in the British Museum, 49-85. †
- Xestoleberis, *G. O. Sars*, 435; mentioned,
 389, 390.
 acuminalis, *Chapman*, 436.
 margaritea, *G. S. Brady*, 435; men-
 tioned, 441.
 variegata, *G. S. Brady*, 435.
- Zetes*, Kröyer, 227.
 hispidus, Kröyer, 227.
 spinosa, *Stimpson*, 224.
- Zoantheæ, from Queensland and the New
 Hebrides, 315-328.
- Zoanthus, *Cuv.*, mentioned, 320.
 Chierchiæ, *Heider*, mentioned, 317,
 319, 320.
 flos marinus, *McMurrich & Duerden*,
 mentioned, 317, 318, 319.
 Macgillivrayi, *Hadden & Shackleton*,
 mentioned, 318.
 pigmentatus,* *Wilsmore*, 320; men-
 tioned, 315, 323, 327, 328.
 pulchellus, *Duchass. & Michel.*, men-
 tioned, 318.
 sandvicensis,* *Wilsmore*, 315; men-
 tioned, 316, 318, 319, 320, 321, 323,
 327.
 Shackletoni, *Hadden & Duerden*, men-
 tioned, 321.
 similis,* *Wilsmore*, 318; mentioned,
 318, 320, 323, 327.
 sociatus, *McMurrich*, mentioned, 323.
 Solanderi, *Lesueur*, mentioned, 321,
 323.
- Zuniga, *Peckham*, mentioned, 264.
- Zuningia, *read* Zuniga, *Peckham*, men-
 tioned, 264.